


Synthetic Intermediates and Reagents


Arylamines

K0013 | 42906-19-4




Formula : C₂₁H₁₉NO
M.W. : 301.38 g/mole
Grade : > 98% (HPLC)

K0019 | 4181-20-8




Formula : C₁₈H₁₂I₃N
M.W. : 623.01 g/mole
Grade : > 98% (HPLC)

K0030 | 4181-05-9




Formula : C₁₉H₁₅NO
M.W. : 273.33 g/mole
Grade : > 98% (HPLC)

K0060 | 531-91-9




Formula : C₂₄H₂₀N₂
M.W. : 336.43 g/mole
Grade : > 98% (HPLC)

K0061 | 16292-17-4




Formula : C₁₂H₉Br₂N
M.W. : 327.01 g/mole
Grade : > 98% (HPLC)

K0062 | 36809-26-4




Formula : C₁₈H₁₄BrN
M.W. : 324.21 g/mole
Grade : > 98% (HPLC)

K0063 | 202831-65-0




Formula : C₂₄H₁₈BrN
M.W. : 400.31 g/mole
Grade : > 98% (HPLC)

K0064 | 81090-53-1




Formula : C₁₈H₁₃Br₂N
M.W. : 403.11 g/mole
Grade : > 98% (HPLC)

K0066 | 532-18-3




Formula : C₂₀H₁₅N
M.W. : 269.34 g/mole
Grade : > 98% (HPLC)

K0067 | 10311-61-2




Formula : C₂₆H₂₄N₂
M.W. : 364.48 g/mole
Grade : > 98% (HPLC)

K0073 | 4669-06-1




Formula : C₂₀H₁₅N
M.W. : 269.34 g/mole
Grade : > 98% (HPLC)

K0151 | 845526-91-2




Formula : C₂₀H₁₈BrN
M.W. : 352.27 g/mole
Grade : > 98% (HPLC)

K0154 | 287937-02-4




Formula : C₂₁H₁₉NO
M.W. : 301.38 g/mole
Grade : > 98% (HPLC)

K0215 | 1469780-16-2




Formula : C₁₉H₁₃Br₂NO
M.W. : 431.12 g/mole
Grade : > 98% (HPLC)

K0353 | 101-70-2




Formula : C₁₄H₁₅NO₂
M.W. : 229.27 g/mole
Grade : > 98% (HPLC)

K0355 | 20440-95-3




Formula : C₂₀H₁₉N
M.W. : 273.37 g/mole
Grade : > 98% (HPLC)

K0388 | 287976-94-7




Formula : C₂₂H₂₁Br₂N
M.W. : 459.22 g/mole
Grade : > 98% (HPLC)

K0432 | 308144-65-2




Formula : C₂₈H₂₀BrN
M.W. : 450.37 g/mole
Grade : > 98% (HPLC)

K0463 | 352359-42-3



Formula : C₂₈H₂₀BrN
M.W. : 450.37 g/mole
Grade : > 98% (HPLC)

K0750 | 59131-00-9




Formula : C₂₆H₂₄N₂O₂
M.W. : 396.48 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Arylamines

K0751 | 352359-43-4




Formula : C₃₈H₂₈N₂
M.W. : 512.64 g/mole
Grade : > 97% (HPLC)

K0752 | 55389-75-8




Formula : C₁₆H₁₉N
M.W. : 225.33 g/mole
Grade : > 98% (HPLC)

K0753 | 34801-11-1




Formula : C₁₄H₁₅N
M.W. : 197.28 g/mole
Grade : > 98% (HPLC)

K0754 | 626-13-1




Formula : C₁₄H₁₅N
M.W. : 197.28 g/mole
Grade : > 98% (HPLC)

K0755 | 203710-89-8




Formula : C₂₀H₁₈BrN
M.W. : 352.27 g/mole
Grade : > 98% (HPLC)

K0835 | 499128-71-1




Formula : C₃₀H₂₂BrN
M.W. : 476.41 g/mole
Grade : > 98% (HPLC)

K0837 | 194416-45-0




Formula : C₂₀H₁₈BrNO₂
M.W. : 384.27 g/mole
Grade : > 98% (HPLC)

K0852 | 78600-31-4




Formula : C₁₈H₁₅BrN
M.W. : 324.21 g/mole
Grade : > 98% (HPLC)

K0853 | 854938-56-0




Formula : C₄₆H₃₂N₂O₂
M.W. : 644.76 g/mole
Grade : > 95% (HPLC)

K0867 | 1467099-22-4




Formula : C₃₁H₂₀BrN
M.W. : 486.4 g/mole
Grade : > 98% (HPLC)

K0881 | 6267-02-3




Formula : C₁₅H₁₅N
M.W. : 209.29 g/mole
Grade : > 98% (HPLC)

K0882 | 58751-07-8




Formula : C₁₄H₁₅NO₂
M.W. : 229.27 g/mole
Grade : > 98% (HPLC)

K0883 | 3661-49-2




Formula : C₁₄H₁₅NO₂
M.W. : 229.27 g/mole
Grade : > 98% (HPLC)

K0884 | 1548941-62-3




Formula : C₃₂H₃₂IN
M.W. : 557.51 g/mole
Grade : > 98% (HPLC)

K0886 | 3282-99-3




Formula : C₁₈H₂₂N₂
M.W. : 266.38 g/mole
Grade : > 98% (HPLC)

K0893 | 1342892-15-2




Formula : C₂₁H₁₆BrN
M.W. : 364.28 g/mole
Grade : > 98% (HPLC)

K0894 | 71041-21-9




Formula : C₁₈H₁₂BrNO
M.W. : 338.2 g/mole
Grade : > 98% (HPLC)

K0899 | 92-67-1




Formula : C₁₂H₁₁N
M.W. : 169.22 g/mole
Grade : > 98% (HPLC)

K0916 | 152670-41-2



Formula : C₃₂H₂₄N₂
M.W. : 436.55 g/mole
Grade : > 98% (HPLC)

K0940 | 1241891-64-4




Formula : C₃₁H₂₆BrN
M.W. : 486.40 g/mole
Grade : > 98% (HPLC)

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Arylamines

K0963 | 276690-04-1




Formula : $C_{22}H_{21}Br_2N$
M.W. : 459.22 g/mole
Grade : > 99%

K0964 | 663943-27-9




Formula : $C_{21}H_{19}Br_2N$
M.W. : 455.19 g/mole
Grade : > 99%

K1129 | 7293-45-0




Formula : $C_{18}H_{15}N$
M.W. : 245.32 g/mole
Grade : > 98%

K1130 | 92-67-1




Formula : $C_{12}H_{11}N$
M.W. : 169.22 g/mole
Grade : > 99%

K1131 | 2243-47-2




Formula : $C_{12}H_{11}N$
M.W. : 169.22 g/mole
Grade : > 99%

K1132 | 90-41-5




Formula : $C_{12}H_{11}N$
M.W. : 169.22 g/mole
Grade : > 99%

K1133 | 135-88-6




Formula : $C_{16}H_{13}N$
M.W. : 219.28 g/mole
Grade : > 99%

K1134 | 90-30-2




Formula : $C_{16}H_{13}N$
M.W. : 219.28 g/mole
Grade : > 99%

K1135 | 3920-79-4




Formula : $C_{20}H_{15}N$
M.W. : 269.34 g/mole
Grade : > 99%

K1136 | 737-89-3




Formula : $C_{20}H_{15}N$
M.W. : 269.34 g/mole
Grade : > 99%

K1137 | 102113-98-4




Formula : $C_{24}H_{19}N$
M.W. : 321.41 g/mole
Grade : > 99%

K1138 | 1160294-96-1




Formula : $C_{36}H_{26}N_2$
M.W. : 486.61 g/mole
Grade : > 99%

K1139 | 620-93-9




Formula : $C_{14}H_{15}N$
M.W. : 197.28 g/mole
Grade : > 99%

K1140 | 329180-20-3




Formula : $C_{26}H_{24}N_2$
M.W. : 364.48 g/mole
Grade : > 99%

K1141 | 308814-67-7




Formula : $C_{26}H_{24}N_2$
M.W. : 364.48 g/mole
Grade : > 99%

K1142 | 728039-63-2




Formula : $C_{36}H_{26}BrN$
M.W. : 552.5 g/mole
Grade : > 99%

K1143 | 101716-43-2




Formula : $C_{18}H_{14}N_2$
M.W. : 258.32 g/mole
Grade : > 99%

K1144 | 4627-22-9




Formula : $C_{20}H_{27}N$
M.W. : 281.44 g/mole
Grade : > 99%

K1145 | 5805-39-0



Formula : $C_{13}H_{11}N_3$
M.W. : 209.25 g/mole
Grade : > 99%


K1146 | 343239-58-7



Formula : $C_{24}H_{19}N$
M.W. : 321.41 g/mole
Grade : > 98%


Arylamines

K1290 | 1132796-42-9




Formula : C₂₅H₃₅N
 M.W. : 349.55 g/mole
 Grade : > 97%

K1294 | 4496-49-5



Formula : C₁₆H₁₉N
 M.W. : 225.33 g/mole
 Grade : >98% (HPLC)

K1314 | 135-88-6




Formula : C₁₈H₁₂BrI₂N
 M.W. : 576.01 g/mole
 Grade : ≥ 99%



Synthetic Intermediates and Reagents


Naphthalenes / Acenaphthenes

K0028 | 4542-77-2




Formula : C₁₂H₁₀Br₂
M.W. : 314.02 g/mole
Grade : > 98% (HPLC)

K0089 | 22856-30-0




Formula : C₁₂H₆N₂
M.W. : 178.19 g/mole
Grade : > 98% (HPLC)

K0139 | 13720-06-4




Formula : C₁₀H₆Br₂
M.W. : 285.96 g/mole
Grade : > 98% (HPLC)

K0143 | 305798-02-1




Formula : C₁₁H₈Br₂
M.W. : 299.99 g/mole
Grade : > 98% (HPLC)

K0413 | 18937-92-3




Formula : C₁₆H₁₁Br
M.W. : 283.16 g/mole
Grade : > 98% (HPLC)

K0589 | 132178-78-0




Formula : C₁₀H₆Br₂O₂
M.W. : 317.96 g/mole
Grade : > 98% (HPLC)

K0590 | 245093-97-4




Formula : C₁₄H₁₄Br₂O₄
M.W. : 406.07 g/mole
Grade : > 98% (HPLC)

K0872 | 71590-31-3



Formula : C₁₀H₉BrClN
M.W. : 258.54 g/mole
Grade : > 98% (HPLC)

K0932 | 93655-02-8



Formula : C₁₈H₁₄O₂
M.W. : 262.3 g/mole
Grade : > 98% (HPLC)


K1289 | 32277-35-3



Formula : C₁₂H₁₀
M.W. : 154.21 g/mole
Grade : > 97%


Lumtec

K0035 | 572-83-8




Formula : C₁₄H₇BrO₂
M.W. : 287.11 g/mole
Grade : > 98% (HPLC)

K0037 | 201731-79-5




Formula : C₂₆H₁₇Br
M.W. : 409.32 g/mole
Grade : > 97% (HPLC)

K0054 | 121848-75-7




Formula : C₂₈H₁₆Br₂
M.W. : 512.23 g/mole
Grade : > 98% (HPLC)

K0058 | 474688-76-1




Formula : C₃₄H₂₁Br
M.W. : 509.43 g/mole
Grade : > 97% (HPLC)

K0076 | 400607-04-7




Formula : C₂₄H₁₅Br
M.W. : 383.28 g/mole
Grade : > 98% (HPLC)

K0077 | 7424-70-6




Formula : C₂₈H₁₆
M.W. : 304.38 g/mole
Grade : > 98% (HPLC)

K0360 | 523-27-3




Formula : C₁₄H₈Br₂
M.W. : 336.02 g/mole
Grade : > 98% (HPLC)

K0362 | 1055-23-8




Formula : C₂₈H₁₈
M.W. : 354.44 g/mole
Grade : > 98% (HPLC)

K0404 | 53348-05-3




Formula : C₁₄H₆Br₂O₂
M.W. : 366.0 g/mole
Grade : > 97% (HPLC)

K0464 | 23674-20-6




Formula : C₂₀H₁₃Br
M.W. : 333.22 g/mole
Grade : > 98% (HPLC)

K0875 | 937372-45-7




Formula : C₂₁H₁₂BrN
M.W. : 358.23 g/mole
Grade : > 98% (HPLC)

K0877 | 23674-15-9




Formula : C₂₁H₁₆O
M.W. : 284.35 g/mole
Grade : > 98% (HPLC)

K0901 | 474688-73-8




Formula : C₂₄H₁₅Br
M.W. : 383.28 g/mole
Grade : > 98% (HPLC)

K0909 | 1092390-01-6




Formula : C₃₀H₁₉Br
M.W. : 459.38 g/mole
Grade : > 98% (HPLC)

K0930 | 158902-11-5




Formula : C₂₁H₁₅BrO
M.W. : 363.25 g/mole
Grade : > 98% (HPLC)

K0931 | 937372-45-7




Formula : C₂₁H₁₂BrN
M.W. : 358.23 g/mole
Grade : > 96% (HPLC)

K0935 | 944801-33-6




Formula : C₃₀H₁₉Br
M.W. : 459.38 g/mole
Grade : > 98% (HPLC)

K1097 | 19111-87-6




Formula : C₁₈H₁₁Br
M.W. : 307.18 g/mole
Grade : > 98%

K1098 | 888041-37-0



Formula : C₁₈H₁₀Br₂
M.W. : 386.08 g/mole
Grade : > 98%

K1099 | 1313514-53-2




Formula : C₂₄H₁₅Br
M.W. : 383.28 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Anthracenes / Phenanthracenes

K1100 | 4877-80-9




Formula : $C_{18}H_{12}O_6$
M.W. : 324.28 g/mole
Grade : > 98%

K1101 | 82632-80-2




Formula : $C_{18}H_6Br_6$
M.W. : 701.66 g/mole
Grade : > 98%

K1102 | 62162-97-4




Formula : $C_{14}H_9Br$
M.W. : 257.13 g/mole
Grade : > 98%

K1103 | 715-50-4




Formula : $C_{14}H_9Br$
M.W. : 257.13 g/mole
Grade : > 98%

K1104 | 22426-14-8




Formula : $C_{12}H_9BrN_2$
M.W. : 259.10 g/mole
Grade : > 98%

K1105 | 7321-27-9




Formula : $C_{14}H_9Br$
M.W. : 257.13 g/mole
Grade : > 98%

K1106 | 17135-78-3




Formula : $C_{14}H_9Cl$
M.W. : 212.67 g/mole
Grade : > 99%

K1107 | 625854-02-6




Formula : $C_{26}H_{17}Br$
M.W. : 409.32 g/mole
Grade : > 98%

K1108 | 13438-50-1



Formula : $C_{16}H_9Br$
M.W. : 281.15 g/mole
Grade : > 98%

K1109 | 561064-15-1




Formula : $C_{18}H_6Br_4$
M.W. : 588.33 g/mole
Grade : > 98%

K1110 | 845457-53-6




Formula : $C_{28}H_{17}Br$
M.W. : 433.34 g/mole
Grade : > 98%

K1111 | 39069-02-8




Formula : $C_{12}H_6Br_4N_2$
M.W. : 338.00 g/mole
Grade : > 99%

K1112 | 602-55-1




Formula : $C_{20}H_{14}$
M.W. : 254.33 g/mole
Grade : > 99%

K1113 | 26979-27-1




Formula : $C_{34}H_{22}$
M.W. : 430.54 g/mole
Grade : > 99%

K1114 | 855828-36-3




Formula : $C_{34}H_{22}$
M.W. : 430.54 g/mole
Grade : > 99%

K1115 | 929031-39-0




Formula : $C_{34}H_{21}Br$
M.W. : 509.43 g/mole
Grade : > 98%

K1116 | 625854-02-6




Formula : $C_{26}H_{17}Br$
M.W. : 409.32 g/mole
Grade : > 99%

K1117 | 474688-74-9




Formula : $C_{32}H_{21}Br$
M.W. : 485.41 g/mole
Grade : > 99%

K1118 | 1195975-03-1




Formula : $C_{32}H_{21}Br$
M.W. : 485.41 g/mole
Grade : > 98%

K1119 | 781-43-1



Formula : $C_{16}H_{14}$
M.W. : 206.28 g/mole
Grade : > 99%

K1121 | 886363-70-8




Formula : $C_{18}H_{18}Br_2$
M.W. : 394.14 g/mole
Grade : > 99%



Synthetic Intermediates and Reagents


Fluorenes / Fluoranthenes

K0001 | 171408-76-7




Formula : C₂₅H₁₅Br
M.W. : 395.29 g/mole
Grade : > 98% (HPLC)

K0002 | 171408-84-7




Formula : C₂₅H₁₄Br₂
M.W. : 474.19 g/mole
Grade : > 98% (HPLC)

K0003 | 128055-74-3




Formula : C₂₅H₁₂Br₄
M.W. : 631.98 g/mole
Grade : > 98% (HPLC)

K0004 | 159-66-0




Formula : C₂₅H₁₆
M.W. : 316.39 g/mole
Grade : > 98% (HPLC)

K0005 | 16433-88-8




Formula : C₁₃H₈Br₂
M.W. : 324.01 g/mole
Grade : > 98% (HPLC)

K0006 | 14348-75-5




Formula : C₁₃H₆Br₂O
M.W. : 337.99 g/mole
Grade : > 98% (HPLC)

K0009 | 3096-56-8




Formula : C₁₃H₇BrO
M.W. : 259.10 g/mole
Grade : > 98% (HPLC)

K0010 | 28320-32-3




Formula : C₁₅H₁₂Br₂
M.W. : 352.06 g/mole
Grade : > 98% (HPLC)

K0011 | 474918-33-7




Formula : C₂₇H₂₁Br
M.W. : 425.36 g/mole
Grade : > 98% (HPLC)

K0012 | 357645-37-5




Formula : C₂₇H₂₀Br₂
M.W. : 504.26 g/mole
Grade : > 98% (HPLC)

K0014 | 15499-84-0




Formula : C₂₅H₂₀N₂
M.W. : 348.44 g/mole
Grade : > 98% (HPLC)

K0020 | 486-25-9




Formula : C₁₃H₈O
M.W. : 180.20 g/mole
Grade : > 98% (HPLC)

K0023 | 28320-31-2




Formula : C₁₅H₁₃Br
M.W. : 273.17 g/mole
Grade : > 98% (HPLC)

K0024 | 851478-90-5




Formula : C₁₅H₁₁Br₂
M.W. : 578.78 g/mole
Grade : > 98% (HPLC)

K0025 | 128406-10-0



Formula : C₂₅H₁₆Br₂
M.W. : 476.20 g/mole
Grade : > 98% (HPLC)

K0032 | 790674-48-5




Formula : C₂₅H₁₄I₂
M.W. : 568.19 g/mole
Grade : > 98% (HPLC)

K0033 | 67665-45-6




Formula : C₂₅H₁₈N₂
M.W. : 346.42 g/mole
Grade : > 98% (HPLC)

K0050 | 302554-80-9




Formula : C₂₉H₄₁Br
M.W. : 469.54 g/mole
Grade : > 98% (HPLC)

K0086 | 198964-46-4




Formula : C₂₉H₄₀Br₂
M.W. : 548.44 g/mole
Grade : > 98% (HPLC)

K0088 | 188200-93-3




Formula : C₂₉H₄₀Br₂
M.W. : 548.44 g/mole
Grade : > 98% (HPLC)

K0126 |




Formula : $C_{59}H_{42}Br_2N_2$
M.W. : 938.79 g/mole
Grade : > 98% (HPLC)

K0295 | 187148-75-0




Formula : $C_{27}H_{36}Br_2$
M.W. : 520.38 g/mole
Grade : > 98% (HPLC)

K0344 | 1133-80-8




Formula : $C_{13}H_9Br$
M.W. : 245.11 g/mole
Grade : > 98% (HPLC)

K0405 | 937082-81-0




Formula : $C_{25}H_{17}Br$
M.W. : 397.31 g/mole
Grade : > 97% (HPLC)

K0406 | 202831-64-9




Formula : $C_{29}H_{26}BrN$
M.W. : 468.43 g/mole
Grade : > 98% (HPLC)

K0412 | 1185855-21-3




Formula : $C_{29}H_{16}Br_2$
M.W. : 524.25 g/mole
Grade : > 98% (HPLC)

K0429 | 673474-73-2




Formula : $C_{23}H_{30}Br_2N_2$
M.W. : 494.31 g/mole
Grade : > 98% (HPLC)

K0437 | 607739-64-0




Formula : $C_{45}H_{36}Br_2$
M.W. : 736.58 g/mole
Grade : > 97% (HPLC)

K0450 | 198142-63-1




Formula : $C_{23}H_{12}Br_2N_2$
M.W. : 476.16 g/mole
Grade : > 98% (HPLC)

K0467 | 50890-67-0




Formula : $C_{11}H_6N_2O$
M.W. : 182.18 g/mole
Grade : > 98% (HPLC)

K0468 | 171856-25-0




Formula : $C_{23}H_{14}N_2$
M.W. : 318.37 g/mole
Grade : > 98% (HPLC)

K0469 | 738580-15-9




Formula : $C_{26}H_{32}Br_2$
M.W. : 504.34 g/mole
Grade : > 98% (HPLC)

K0470 | 746-47-4




Formula : $C_{26}H_{16}$
M.W. : 328.41 g/mole
Grade : > 98% (HPLC)

K0531 | 1186096-65-0




Formula : $C_{26}H_{18}O$
M.W. : 346.42 g/mole
Grade : > 98% (HPLC)

K0573 | 438201-29-7




Formula : $C_{25}H_{31}Br_3$
M.W. : 571.23 g/mole
Grade : > 98% (HPLC)

K0581 | 169169-89-5




Formula : $C_{25}H_{16}Br_2O_2$
M.W. : 508.2 g/mole
Grade : > 98% (HPLC)

K0582 | 1173170-47-2




Formula : $C_{57}H_{40}N_2O_2$
M.W. : 784.94 g/mole
Grade : > 98% (HPLC)

K0604 | 1161009-88-6




Formula : $C_{25}H_{15}Br$
M.W. : 395.29 g/mole
Grade : > 98% (HPLC)

K0609 | 216312-73-1



Formula : $C_{13}H_6Br_2O$
M.W. : 337.99 g/mole
Grade : > 97% (HPLC)

K0626 | 295796-57-5




Formula : $C_{27}H_{34}O_2$
M.W. : 390.56 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Fluorenes / Fluoranthenes

K0627 | 295796-56-4




Formula : C₂₇H₃₈O₂
M.W. : 394.59 g/mole
Grade : > 98% (HPLC)

K0678 | 325461-30-1




Formula : C₃₃H₄₈Br₂
M.W. : 604.54 g/mole
Grade : > 98% (HPLC)

K0759 | 108714-73-4




Formula : C₁₅H₁₅N
M.W. : 209.29 g/mole
Grade : > 98% (HPLC)

K0760 |




Formula : C₂₀H₁₈O
M.W. : 274.36 g/mole
Grade : > 98% (HPLC)

K0761 |




Formula : C₂₀H₁₇BrO
M.W. : 353.25 g/mole
Grade : > 98% (HPLC)

K0866 | 1242570-65-5




Formula : C₂₉H₁₆Br₂
M.W. : 524.25 g/mole
Grade : > 98% (HPLC)

K0867 | 1467099-22-4




Formula : C₃₁H₂₀BrN
M.W. : 486.4 g/mole
Grade : > 98% (HPLC)

K0868 | 1175203-78-7




Formula : C₂₉H₁₇Br
M.W. : 445.35 g/mole
Grade : > 98% (HPLC)

K0871 | 1260496-44-3




Formula : C₅₃H₅₂Br₄N₂
M.W. : 1036.61 g/mole
Grade : > 97% (HPLC)

K0874 | 1242570-65-5




Formula : C₃₇H₅₂Br₂O₂
M.W. : 688.62 g/mole
Grade : > 97% (HPLC)

K0895 | 865702-19-8




Formula : C₁₅H₁₂Br₂
M.W. : 352.06 g/mole
Grade : > 98% (HPLC)

K0904 | 1262758-37-1




Formula : C₄₁H₅₀BrN
M.W. : 636.75 g/mole
Grade : > 98% (HPLC)

K0907 |




Formula : C₂₇H₁₈Br
M.W. : 423.34 g/mole
Grade : > 98% (HPLC)

K0933 |




Formula : C₃₇H₂₁Br
M.W. : 545.47 g/mole
Grade : > 98% (HPLC)

K0934 | 1056884-35-5




Formula : C₁₅H₁₄Br₂
M.W. : 402.12 g/mole
Grade : > 98% (HPLC)

K0941 | 2041-19-2




Formula : C₁₃H₇BrO
M.W. : 259.1 g/mole
Grade : > 98% (HPLC)

K1063 | 1198395-24-2




Formula : C₂₇H₂₃N
M.W. : 361.48 g/mole
Grade : > 99.5%

K1064 | 897671-69-1




Formula : C₂₇H₂₃N
M.W. : 361.48 g/mole
Grade : > 99.5%

K1065 | 4269-17-4




Formula : C₁₃H₇BrO
M.W. : 259.10 g/mole
Grade : 98%

K1066 | 474918-32-6




Formula : C₂₅H₁₇Br
M.W. : 397.31 g/mole
Grade : > 99%

K1067 | 1268519-74-9




Formula : C₂₅H₁₉N
M.W. : 333.43 g/mole
Grade : > 99%

K1068 | 899422-06-1




Formula : C₂₅H₁₅BrO
M.W. : 411.29 g/mole
Grade : > 98%

K1069 | 500717-23-7




Formula : C₃₀H₂₇N
M.W. : 401.54 g/mole
Grade : > 99%

K1070 | 1196107-73-9




Formula : C₂₃H₁₅BrO₂
M.W. : 403.27 g/mole
Grade : > 98%

K1071 | 1361227-58-8




Formula : C₂₅H₁₅Br
M.W. : 395.29 g/mole
Grade : > 99%

K1072 | 67665-47-8




Formula : C₂₅H₁₄Br₂
M.W. : 474.19 g/mole
Grade : > 98%

K1073 | 319906-45-1



Formula : C₁₅H₁₂BrI
M.W. : 399.06 g/mole
Grade : > 98%

K1074 | 287493-15-6




Formula : C₁₇H₁₇Br
M.W. : 301.22 g/mole
Grade : > 99%

K1075 | 88223-35-2




Formula : C₂₁H₂₅Br
M.W. : 357.33 g/mole
Grade : > 99%

K1076 | 226070-05-9




Formula : C₂₅H₃₃Br
M.W. : 413.43 g/mole
Grade : > 98%

K1077 | 1257251-75-4




Formula : C₂₅H₁₇Br
M.W. : 397.31 g/mole
Grade : > 99%

K1078 | 58775-05-6




Formula : C₂₁H₂₆
M.W. : 278.43 g/mole
Grade : > 99%

K1079 | 123348-27-6




Formula : C₁₃H₈BrI
M.W. : 371.01 g/mole
Grade : > 98%

K1080 | 20302-14-1




Formula : C₂₅H₁₈
M.W. : 318.41 g/mole
Grade : > 99%

K1081 | 942615-32-9




Formula : C₁₅H₁₃Br
M.W. : 273.17 g/mole
Grade : > 99%

K1082 | 713125-22-5




Formula : C₂₅H₁₇Br
M.W. : 397.31 g/mole
Grade : > 98%

K1083 | 355832-04-1




Formula : C₂₁H₁₉N
M.W. : 285.38 g/mole
Grade : > 99%

K1084 | 186259-63-2




Formula : C₂₅H₁₆Br₂
M.W. : 476.2 g/mole
Grade : > 98%

K1085 | 1689-64-1



Formula : C₁₃H₁₀O
M.W. : 182.22 g/mole
Grade : > 99%

K1086 | 24324-17-2




Formula : C₁₄H₁₂O
M.W. : 196.24 g/mole
Grade : > 99%

Synthetic Intermediates and Reagents


Fluorenes / Fluoranthenes

K1087 | 1190360-23-6




Formula : $C_{15}H_{13}Br$
M.W. : 273.17 g/mole
Grade : > 99%

K1088 | 1241891-64-4




Formula : $C_{31}H_{20}BrN$
M.W. : 486.40 g/mole
Grade : > 98%

K1089 | 1268520-04-2




Formula : $C_{37}H_{27}N$
M.W. : 485.62 g/mole
Grade : > 99%

K1090 | 954137-48-5




Formula : $C_{19}H_{15}Br$
M.W. : 323.23 g/mole
Grade : > 99%

K1091 | 112486-09-6




Formula : $C_{19}H_{16}$
M.W. : 244.33 g/mole
Grade : > 98%

K1092 | 1547491-70-2




Formula : $C_{25}H_{17}Br$
M.W. : 397.31 g/mole
Grade : > 99%

K1093 | 1086641-47-5




Formula : $C_{19}H_{13}BrO$
M.W. : 337.21 g/mole
Grade : > 98%

K1094 | 1246562-40-2




Formula : $C_{33}H_{26}BrN$
M.W. : 516.47 g/mole
Grade : > 99%

K1095 | 868549-06-8




Formula : $C_{26}H_{19}Br$
M.W. : 411.33 g/mole
Grade : > 99%

K1096 | 853234-57-8




Formula : $C_{20}H_8Br_2O_2$
M.W. : 440.08 g/mole
Grade : > 99%

K1243 | 1198396-29-0




Formula : $C_{19}H_{15}Br$
M.W. : 323.23 g/mole
Grade : > 98%

K1293 | 264281-45-0




Formula : $C_{52}H_{76}Br_2$
M.W. : 860.97 g/mole
Grade : > 98% (HPLC)

K1296 | 92638-81-8




Formula : $C_{25}H_{17}N$
M.W. : 331.41 g/mole
Grade : > 98%

K1301 | 173312-18-0



Formula : $C_{19}H_{21}Br$
M.W. : 329.27 g/mole
Grade : > 98% (HPLC)

K1302 | 188200-91-1




Formula : $C_{21}H_{24}Br_2$
M.W. : 436.22 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Pyrenes / Triphenylenes / Chrysenes

K0031 | 1714-29-0




Formula : C₁₆H₉Br
M.W. : 281.15 g/mole
Grade : > 98% (HPLC)

K0034 | 27973-29-1




Formula : C₁₆H₈Br₂
M.W. : 360.04 g/mole
Grade : > 98% (HPLC)

K0119 | 38303-35-4




Formula : C₁₆H₈Br₂
M.W. : 360.04 g/mole
Grade : > 97% (HPLC)

K0128 | 78751-74-3




Formula : C₂₀H₁₇Br
M.W. : 337.25 g/mole
Grade : > 95% (HPLC)

K0365 | 129-00-0




Formula : C₁₆H₁₀
M.W. : 202.25 g/mole
Grade : > 98% (HPLC)

K0516 | 16391-62-1




Formula : C₃₂H₂₀
M.W. : 404.50 g/mole
Grade : > 97% (HPLC)

K0762 | 187086-32-4



Formula : C₃₂H₁₉Br
M.W. : 483.40 g/mole
Grade : > 97% (HPLC)

K0763 | 1538574-70-7




Formula : C₂₇H₁₉Br
M.W. : 423.34 g/mole
Grade : > 98% (HPLC)

K0764 |




Formula : C₂₈H₂₁BrO
M.W. : 453.37 g/mole
Grade : > 98% (HPLC)

K0765 | 131222-99-6




Formula : C₁₈H₁₀Br₂
M.W. : 386.08 g/mole
Grade : > 96% (HPLC)

K0818 | 217-59-4




Formula : C₁₈H₁₂
M.W. : 228.29 g/mole
Grade : > 98% (HPLC)

K0888 | 7499-60-7




Formula : C₂₀H₁₄O₃
M.W. : 302.32 g/mole
Grade : > 98% (HPLC)

K0889 | 3443-45-6



Formula : C₂₀H₁₆O₂
M.W. : 288.34 g/mole
Grade : > 98% (HPLC)

K0903 | 345924-29-0



Formula : C₂₂H₁₃Br
M.W. : 357.24 g/mole
Grade : > 98% (HPLC)

K1165 | 85514-20-1




Formula : C₂₀H₁₀Br₂
M.W. : 410.10 g/mole
Grade : > 99%

K1166 | 56752-35-3



Formula : C₂₀H₁₀Br₂
M.W. : 410.10 g/mole
Grade : > 99%

K1295 | 950903-67-0




Formula : C₆₄H₃₄Br₂
M.W. : 962.76 g/mole
Grade : > 95%

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Carbazole Derivatives

K0068 | 57103-20-5




Formula : C₁₈H₁₁Br₂N
M.W. : 401.09 g/mole
Grade : > 98% (HPLC)

K0074 | 57103-13-6




Formula : C₂₂H₂₁N
M.W. : 299.41 g/mole
Grade : > 98% (HPLC)

K0075 | 741293-42-5




Formula : C₂₂H₁₉Br₂N
M.W. : 457.20 g/mole
Grade : > 98% (HPLC)

K0112 | 1256704-63-8




Formula : C₂₅H₃₃Br₂N
M.W. : 507.34 g/mole
Grade : > 98% (HPLC)

K0113 | 955964-73-5




Formula : C₂₉H₄₁Br₂N
M.W. : 563.45 g/mole
Grade : > 98% (HPLC)

K0125 | 136630-39-2




Formula : C₁₂H₇Br₂N
M.W. : 325.00 g/mole
Grade : > 98% (HPLC)

K0152 | 57102-42-8




Formula : C₁₈H₁₂BrN
M.W. : 322.20 g/mole
Grade : > 98% (HPLC)

K0324 | 882066-02-6




Formula : C₁₈H₁₀Br₂N₂
M.W. : 414.09 g/mole
Grade : > 98% (HPLC)

K0325 | 1095570-49-2




Formula : C₅₀H₇₄Br₂N₂
M.W. : 862.94 g/mole
Grade : > 97% (HPLC)

K0326 |




Formula : C₃₀H₃₄Br₂N₂
M.W. : 582.41 g/mole
Grade : > 98% (HPLC)

K0327 | 882066-04-8




Formula : C₃₄H₄₂Br₂N₂
M.W. : 638.52 g/mole
Grade : > 97% (HPLC)

K0328 | 951307-27-0




Formula : C₃₄H₄₂Br₂N₂
M.W. : 638.52 g/mole
Grade : > 98% (HPLC)

K0378 | 173063-52-0




Formula : C₂₀H₂₃Br₂N
M.W. : 437.21 g/mole
Grade : > 98% (HPLC)

K0433 | 111296-90-3




Formula : C₁₈H₁₂N₂
M.W. : 256.30 g/mole
Grade : > 98% (HPLC)

K0449 | 60511-85-5




Formula : C₁₈H₁₂N₂
M.W. : 256.30 g/mole
Grade : > 98% (HPLC)

K0480 |




Formula : C₂₆H₁₈BrN
M.W. : 424.33 g/mole
Grade : > 98% (HPLC)

K0499 | 185112-61-2




Formula : C₁₈H₁₂BrN
M.W. : 322.20 g/mole
Grade : > 98% (HPLC)

K0510 | 1296229-23-6




Formula : C₃₀H₁₉Br₂N₂
M.W. : 487.39 g/mole
Grade : > 98% (HPLC)

K0565 | 109005-10-9



Formula : C₂₄H₁₅N₃
M.W. : 345.4 g/mole
Grade : > 98% (HPLC)

K0576 | 18628-07-4




Formula : C₂₄H₁₆N₂
M.W. : 332.4 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Carbazole Derivatives

K0577 | 6825-20-3




Formula : C₁₂H₇Br₂N
M.W. : 325.0 g/mole
Grade : > 98% (HPLC)

K0578 | 5599-50-8




Formula : C₁₄H₁₃N
M.W. : 195.26 g/mole
Grade : > 98% (HPLC)

K0579 | 56525-79-2




Formula : C₂₄H₁₇N
M.W. : 319.4 g/mole
Grade : > 98% (HPLC)

K0583 | 37500-95-1




Formula : C₂₀H₂₅N
M.W. : 279.42 g/mole
Grade : > 98% (HPLC)

K0591 | 57103-02-3




Formula : C₁₂H₇I₂N
M.W. : 419.0 g/mole
Grade : > 98% (HPLC)

K0592 | 952308-18-8




Formula : C₁₈H₁₀I₃N
M.W. : 620.99 g/mole
Grade : > 98% (HPLC)

K0600 |




Formula : C₁₇H₁₇NO
M.W. : 251.32 g/mole
Grade : > 98% (HPLC)

K0601 |




Formula : C₂₉H₂₄N₂O
M.W. : 416.51 g/mole
Grade : > 98% (HPLC)

K0611 | 1153-85-1




Formula : C₁₈H₁₂BrN
M.W. : 322.2 g/mole
Grade : > 98% (HPLC)

K0618 | 728045-10-1




Formula : C₃₇H₂₄N₂O
M.W. : 512.6 g/mole
Grade : > 98% (HPLC)

K0619 | 597570-65-5




Formula : C₃₈H₂₄N₂O₂
M.W. : 540.61 g/mole
Grade : > 98% (HPLC)

K0676 | 1268491-06-0




Formula : C₂₉H₁₇Br₂N
M.W. : 563.45 g/mole
Grade : > 98% (HPLC)

K0749 | 444796-09-2




Formula : C₁₈H₁₁Br₂N
M.W. : 401.09 g/mole
Grade : > 98% (HPLC)

K0766 | 111296-91-4




Formula : C₁₂H₁₂N₂
M.W. : 256.30 g/mole
Grade : > 98% (HPLC)

K0824 | 3652-90-2




Formula : C₁₂H₈BrN
M.W. : 246.1 g/mole
Grade : > 98% (HPLC)

K0829 | 1257220-47-5




Formula : C₂₁H₁₇N
M.W. : 283.37 g/mole
Grade : > 98% (HPLC)

K0838 | 150623-72-6




Formula : C₁₈H₁₃Br₂N
M.W. : 409.16 g/mole
Grade : > 98% (HPLC)

K0850 | 750573-26-3




Formula : C₁₈H₁₁Br₂N
M.W. : 401.09 g/mole
Grade : > 96% (HPLC)

K0851 | 1374147-31-5



Formula : C₁₇H₁₁BrN₂
M.W. : 323.19 g/mole
Grade : > 98% (HPLC)

K0871 | 1260496-44-3




Formula : C₅₃H₅₂Br₄N₂
M.W. : 1036.61 g/mole
Grade : > 98% (HPLC)

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Carbazole Derivatives

K0896 | 1592-95-6




Formula : C₁₂H₈BrN
M.W. : 246.10 g/mole
Grade : > 98% (HPLC)

K0897 | 502161-03-7




Formula : C₁₈H₁₂IN
M.W. : 369.20 g/mole
Grade : > 98% (HPLC)

K0906 | 1024598-06-8




Formula : C₂₄H₁₆N₂
M.W. : 332.40 g/mole
Grade : > 98% (HPLC)

K0908 | 57103-01-2




Formula : C₁₄H₁₃NO₂
M.W. : 227.26 g/mole
Grade : > 98% (HPLC)

K0922 | 1338919-70-2




Formula : C₁₈H₁₃NO
M.W. : 257.29 g/mole
Grade : > 98% (HPLC)

K0936 | 1445416-81-8




Formula : C₂₅H₁₆N₂S
M.W. : 376.47 g/mole
Grade : > 98% (HPLC)

K0949 | 1448296-00-1




Formula : C₂₄H₁₆N₂
M.W. : 332.40 g/mole
Grade : > 98% (HPLC)

K0956 | 142116-85-6




Formula : C₂₀H₁₅NO
M.W. : 285.34 g/mole
Grade : > 98% (HPLC)

K0961 | 606129-90-2




Formula : C₃₆H₂₃N₃
M.W. : 497.59 g/mole
Grade : > 98% (HPLC)

K0979 | 848086-93-1




Formula : C₃₆H₂₂Br₂N₂
M.W. : 642.38 g/mole
Grade : > 98%

K0980




Formula : C₃₆H₂₁Br₃N₂
M.W. : 721.28 g/mole
Grade : > 98%

K0981 | 597570-70-2




Formula : C₃₆H₂₀Br₄N₂
M.W. : 800.17 g/mole
Grade : > 98%

K0982 | 1301161-41-0




Formula : C₃₆H₂₃BrN₂
M.W. : 563.49 g/mole
Grade : > 98%

K0985 | 608527-58-8




Formula : C₃₆H₂₇N₃
M.W. : 501.62 g/mole
Grade : > 98% (HPLC)

K0986 | 1122650-90-1




Formula : C₂₆H₂₀IN
M.W. : 473.35 g/mole
Grade : > 98% (HPLC)

K0987 | 1329054-41-2




Formula : C₂₁H₁₇N
M.W. : 283.37 g/mole
Grade : > 98% (HPLC)

K0988




Formula : C₂₄H₁₅F₂N
M.W. : 355.38 g/mole
Grade : > 98% (HPLC)

K0991 | 1685275-19-7




Formula : C₂₈H₁₉N₃O
M.W. : 413.47 g/mole
Grade : > 98% (HPLC)

K0992 | 1446911-64-3



Formula : C₁₇H₁₂N₂
M.W. : 244.29 g/mole
Grade : > 98% (HPLC)

K0993




Formula : C₂₄H₁₅F₂N
M.W. : 355.38 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Carbazole Derivatives

K0994




Formula : C₂₄H₁₅F₂N
M.W. : 355.38 g/mole
Grade : > 98%

K1003 | 16807-11-7




Formula : C₁₂H₈BrN
M.W. : 246.10 g/mole
Grade : > 98%

K1004 | 10537-08-3




Formula : C₁₂H₈ClN
M.W. : 201.65 g/mole
Grade : 99%

K1005 | 86-79-3




Formula : C₁₂H₉NO
M.W. : 183.21 g/mole
Grade : > 98%

K1006 | 3652-89-9




Formula : C₁₂H₈BrN
M.W. : 246.10 g/mole
Grade : > 98%

K1007 | 1028647-93-9




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 99.5%

K1008 | 1698-16-4




Formula : C₁₆H₁₀BrN
M.W. : 296.16 g/mole
Grade : > 98%

K1009 | 244-76-8




Formula : C₁₁H₈N₂
M.W. : 168.19 g/mole
Grade : > 99%

K1010 | 6336-32-9




Formula : C₁₈H₁₂N₂
M.W. : 256.30 g/mole
Grade : > 98%

K1011 | 111296-90-3




Formula : C₁₈H₁₂N₂
M.W. : 256.30 g/mole
Grade : > 98%

K1012 | 902518-11-0




Formula : C₁₈H₁₂BrN
M.W. : 322.20 g/mole
Grade : > 98%

K1013 | 1807910-53-7




Formula : C₃₂H₂₀BrN
M.W. : 498.41 g/mole
Grade : > 98%

K1014 | 1984-49-2




Formula : C₂₄H₁₆N₂
M.W. : 332.40 g/mole
Grade : > 98%

K1015 | 212385-73-4




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 98%

K1016




Formula : C₃₀H₂₁N
M.W. : 395.49 g/mole
Grade : > 98%

K1017 | 194-59-2




Formula : C₂₀H₁₃N
M.W. : 267.32 g/mole
Grade : > 99%

K1018 | 88590-00-5




Formula : C₁₈H₁₃N
M.W. : 243.30 g/mole
Grade : > 99%

K1019 | 131409-18-2




Formula : C₁₆H₁₀BrN
M.W. : 296.16 g/mole
Grade : > 99%

K1020 | 127271-60-7



Formula : C₂₀H₁₄BrN
M.W. : 358.32 g/mole
Grade : > 98%

K1021 | 205-25-4




Formula : C₁₆H₁₁N
M.W. : 217.27 g/mole
Grade : > 99%

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Carbazole Derivatives

K1022 | 6933-49-9




Formula : C₁₃H₁₁NO
M.W. : 197.23 g/mole
Grade : > 98%

K1023 | 1221237-87-1




Formula : C₂₄H₁₇N
M.W. : 319.40 g/mole
Grade : > 99%

K1024 | 1393835-87-4




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 99%

K1025 | 1226860-66-7




Formula : C₁₈H₁₁Br₂N
M.W. : 401.09 g/mole
Grade : > 99%

K1026 | 1365118-41-7




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 99%

K1027 | 1028648-25-0




Formula : C₃₀H₂₀BrN
M.W. : 474.39 g/mole
Grade : > 98%

K1028 | 103012-26-6




Formula : C₁₈H₁₃N
M.W. : 243.30 g/mole
Grade : > 98%

K1029 | 444796-09-2




Formula : C₁₈H₁₁Br₂N
M.W. : 401.09 g/mole
Grade : > 98%

K1030 | 882883-55-8




Formula : C₁₄H₁₁Br₂N
M.W. : 353.05 g/mole
Grade : > 99%

K1031 | 200878-50-8




Formula : C₁₃H₁₀BrNO
M.W. : 276.13 g/mole
Grade : > 98%

K1032 | 61822-18-2




Formula : C₁₄H₁₃NO₂
M.W. : 227.26 g/mole
Grade : > 98%

K1033 | 746651-52-5




Formula : C₁₉H₁₃Br₂NO
M.W. : 431.12 g/mole
Grade : > 98%

K1034 | 917773-26-3




Formula : C₂₆H₂₇Br₂NO
M.W. : 529.31 g/mole
Grade : > 98%

K1035 | 946491-48-1




Formula : C₂₆H₂₇Br₂NO
M.W. : 529.31 g/mole
Grade : > 96%

K1036 | 865163-47-9




Formula : C₃₀H₃₅Br₂NO
M.W. : 585.41 g/mole
Grade : > 98%

K1037 | 84359-61-5




Formula : C₁₅H₁₄BrN
M.W. : 288.18 g/mole
Grade : > 98%

K1038 | 10420-20-9




Formula : C₁₆H₁₆BrN
M.W. : 302.21 g/mole
Grade : > 98%

K1039 | 94847-10-6




Formula : C₁₈H₂₀BrN
M.W. : 330.26 g/mole
Grade : > 98%

K1040 | 1609267-04-0



Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 98%

K1041 | 601454-33-5




Formula : C₂₆H₂₈BrN
M.W. : 434.41 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Carbazole Derivatives

K1042 | 1226810-15-6




Formula : C₂₄H₁₆N₂
M.W. : 332.40 g/mole
Grade : > 98%

K1043 | 1922121-94-5




Formula : C₂₄H₁₅NS
M.W. : 349.45 g/mole
Grade : > 98%

K1044 | 1922121-95-6




Formula : C₂₄H₁₅NO
M.W. : 333.38 g/mole
Grade : > 98%

K1045 | 1428551-28-3




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 99%

K1046 | 1616607-88-5




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 98%

K1047 | 339576-55-5




Formula : C₁₉H₁₄BrN
M.W. : 336.23 g/mole
Grade : > 98%

K1048 | 1384281-49-5




Formula : C₁₉H₁₃Br₂N
M.W. : 415.12 g/mole
Grade : > 98%

K1049 | 1345021-52-4




Formula : C₂₄H₁₅Br₃N
M.W. : 477.19 g/mole
Grade : > 98%

K1050 | 1401863-51-1




Formula : C₁₉H₁₄BrN
M.W. : 336.23 g/mole
Grade : > 98%

K1051 | 1255308-97-4




Formula : C₁₈H₁₁NS
M.W. : 273.35 g/mole
Grade : > 98%

K1052 | 86-28-2




Formula : C₁₄H₁₃N
M.W. : 195.26 g/mole
Grade : > 99%

K1053 | 31438-22-9




Formula : C₁₂H₈N₂O₂
M.W. : 212.20 g/mole
Grade : > 98%

K1054 | 94994-62-4




Formula : C₁₈H₁₂BrN
M.W. : 322.20 g/mole
Grade : > 99%

K1055 | 18992-86-4




Formula : C₁₂H₁₀N₂
M.W. : 182.22 g/mole
Grade : > 98%

K1056 | 894791-46-9




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 99%

K1057 | 1160294-85-8




Formula : C₂₄H₁₆BrN
M.W. : 398.29 g/mole
Grade : > 99%

K1058 | 1060735-14-9




Formula : C₃₀H₂₀N₂
M.W. : 408.49 g/mole
Grade : > 98%

K1059 | 1313395-18-4




Formula : C₂₂H₁₃NS
M.W. : 323.41 g/mole
Grade : > 99%

K1060 | 1174032-81-5



Formula : C₁₈H₁₀BrN
M.W. : 320.18 g/mole
Grade : > 98%


K1061 | 654676-12-7



Formula : C₁₈H₁₅Br₂N
M.W. : 409.16 g/mole
Grade : > 99%


Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

K1062 | 1884420-79-4




Formula : $C_{30}H_{27}Br_2N$
 M.W. : 561.35 g/mole
 Grade : > 99%

K1306 | 1346571-68-3




Formula : $C_{24}H_{16}N_2$
 M.W. : 332.4 g/mole
 Grade : > 98% (HPLC)

K1307 | 6558-85-6




Formula : $C_{16}H_{17}N$
 M.W. : 223.31 g/mole
 Grade : > 98% (HPLC)

K1308 |



Formula : $C_{22}H_{20}N_2$
 M.W. : 312.41 g/mole
 Grade : > 98% (HPLC)


K1309 |



Formula : $C_{28}H_{24}N_2$
 M.W. : 388.5 g/mole
 Grade : > 98% (HPLC)




K0026 | 866117-17-1




Formula : $C_{11}H_8N_6$
M.W. : 224.22 g/mole
Grade : > 98% (HPLC)

K0052 | 5394-23-0




Formula : $C_{12}H_6Cl_2N_2$
M.W. : 249.10 g/mole
Grade : > 97% (HPLC)

K0085 | 1134-35-6



Formula : $C_{12}H_{12}N_2$
M.W. : 184.24 g/mole
Grade : > 98% (HPLC)

K0141 | 6813-38-3




Formula : $C_{12}H_8N_2O_4$
M.W. : 244.20 g/mole
Grade : > 98% (HPLC)

K0153 | 16567-18-3




Formula : C_9H_6BrN
M.W. : 208.05 g/mole
Grade : > 95% (HPLC)

K0218 | 1159905-88-0




Formula : $C_{10}H_7Br_3NO_2$
M.W. : 473.24 g/mole
Grade : > 97% (HPLC)

K0267 | 148231-14-5




Formula : $C_{12}H_{12}Br_2N_2$
M.W. : 344.05 g/mole
Grade : > 98% (HPLC)

K0310 |




Formula : $C_{14}H_{13}Br_2NO_2$
M.W. : 389.08 g/mole
Grade : > 97% (HPLC)

K0331 | 221241-11-8



Formula : $C_5H_5Br_2N_3$
M.W. : 266.92 g/mole
Grade : > 98% (HPLC)

K0333 | 1236490-06-4




Formula : $C_{10}H_6Br_2N_2$
M.W. : 568.47 g/mole
Grade : > 98% (HPLC)

K0340 | 19493-44-8




Formula : C_9H_6ClN
M.W. : 163.60 g/mole
Grade : > 98% (HPLC)

K0346 | 612-62-4




Formula : C_9H_6ClN
M.W. : 163.60 g/mole
Grade : > 98% (HPLC)

K0349 | 54-96-6




Formula : $C_5H_7N_3$
M.W. : 109.13 g/mole
Grade : > 97%

K0386 |




Formula : $C_{18}H_{16}ClN$
M.W. : 281.78 g/mole
Grade : > 98% (HPLC)

K0387 | 1810-71-5




Formula : C_9H_6BrClN
M.W. : 242.50 g/mole
Grade : > 98% (HPLC)

K0392 | 3922-40-5




Formula : $C_{12}H_8N_2O_2$
M.W. : 212.20 g/mole
Grade : > 98% (HPLC)

K0430 | 1700-02-3




Formula : $C_9H_5Cl_2N_3$
M.W. : 226.06 g/mole
Grade : > 98% (HPLC)

K0439 | 3842-55-5




Formula : $C_{15}H_{10}ClN_3$
M.W. : 267.71 g/mole
Grade : > 98% (HPLC)

K0441 | 2620-76-0




Formula : $C_{19}H_{13}BrN_2$
M.W. : 349.22 g/mole
Grade : > 98% (HPLC)

K0446 | 1229012-68-3




Formula : $C_{24}H_{14}Cl_2N_2$
M.W. : 401.29 g/mole
Grade : > 98% (HPLC)

K0452 | 1147081-44-4




Formula : $C_{28}H_{19}BrN_2$
M.W. : 463.37 g/mole
Grade : > 98% (HPLC)

K0455 | 1030380-50-7




Formula : $C_{17}H_{10}Cl_4N_2$
M.W. : 384.09 g/mole
Grade : > 96% (HPLC)

K0477 | 1314801-35-8




Formula : $C_{22}H_{34}Br_2N_2O_3$
M.W. : 534.32 g/mole
Grade : > 98% (HPLC)

K0490 | 30363-03-2




Formula : $C_{21}H_{12}Br_3N_3$
M.W. : 546.05 g/mole
Grade : > 98% (HPLC)

K0529 | 1147081-43-3




Formula : $C_{27}H_{17}BrN_2$
M.W. : 449.34 g/mole
Grade : > 98% (HPLC)

K0530 | 1147081-45-5




Formula : $C_{28}H_{19}BrN_2O$
M.W. : 479.37 g/mole
Grade : > 98% (HPLC)

K0567 | 81167-60-4




Formula : $C_9H_{12}ClN$
M.W. : 169.65 g/mole
Grade : > 98% (HPLC)

K0571 | 1424369-37-8




Formula : $C_{11}H_6ClNO$
M.W. : 203.62 g/mole
Grade : > 98% (HPLC)

K0584 | 38922-71-3




Formula : $C_{17}H_{12}N_2$
M.W. : 244.29 g/mole
Grade : > 98% (HPLC)

K0603 | 760212-58-6




Formula : $C_{19}H_{13}BrN_2$
M.W. : 349.22 g/mole
Grade : > 98% (HPLC)

K0605 | 86-76-0




Formula : $C_{12}H_7BrO$
M.W. : 247.09 g/mole
Grade : > 97% (HPLC)

K0606 | 10016-52-1




Formula : $C_{12}H_6Br_2O$
M.W. : 325.98 g/mole
Grade : > 97% (HPLC)

K0638 | 1265637-81-7




Formula : $C_{46}H_{70}Br_2N_2O_2S_4$
M.W. : 874.87 g/mole
Grade : > 98% (NMR)

K0639 | 1329114-94-4




Formula : $C_{54}H_{86}Br_2N_2O_2S_4$
M.W. : 987.08 g/mole
Grade : > 98% (NMR)

K0645 | 498572-73-9




Formula : $C_{36}H_{44}Br_2N_2O_2$
M.W. : 696.55 g/mole
Grade : > 98% (HPLC)

K0677 | 863027-98-9




Formula : $C_{16}H_{13}Br_2NO_2$
M.W. : 417.14 g/mole
Grade : > 97% (HPLC)

K0680 | 2677220-47-3




Formula : $C_{10}H_4O_4$
M.W. : 188.14 g/mole
Grade : > 98% (HPLC)

K0767 |




Formula : $C_{15}H_9Cl_2N_3$
M.W. : 302.16 g/mole
Grade : > 98% (HPLC)

K0768 | 29176-55-4




Formula : $C_{12}H_6Cl_2N_2$
M.W. : 249.10 g/mole
Grade : > 97% (HPLC)

K0769 | 7089-68-1




Formula : $C_{12}H_7ClN_2$
M.W. : 214.65 g/mole
Grade : > 97% (HPLC)

K0770 | 15862-19-8




Formula : C₁₀H₇BrN₂
M.W. : 235.08 g/mole
Grade : > 98% (HPLC)

K0771 | 10495-73-5




Formula : C₁₀H₇BrN₂
M.W. : 235.08 g/mole
Grade : > 98% (HPLC)

K0772 | 35989-02-7




Formula : C₁₀H₇BrN₂
M.W. : 235.08 g/mole
Grade : > 98% (HPLC)

K0816 | 1224430-28-7




Formula : C₆₂H₁₀₂Br₂N₂O₂S₂
M.W. : 1131.42 g/mole
Grade : > 98% (NMR)

K0817 | 1084334-28-0




Formula : C₁₈H₁₁BrS
M.W. : 339.25 g/mole
Grade : > 98% (HPLC)

K0833 | 66318-88-5




Formula : C₁₅H₁₁N
M.W. : 205.25 g/mole
Grade : > 98% (HPLC)

K0841 | 1309387-42-5




Formula : C₄₆H₅₃BrN₂O₄
M.W. : 777.83 g/mole
Grade : > 96% (NMR)

K0843 | 6528-85-4




Formula : C₁₄H₁₂N₂O
M.W. : 224.26 g/mole
Grade : > 98% (HPLC)

K0847 |




Formula : C₁₅H₇BrCl₂N₄
M.W. : 394.05 g/mole
Grade : > 97% (HPLC)

K0848 | 1266389-17-6




Formula : C₂₇H₁₇BrN₄
M.W. : 477.35 g/mole
Grade : > 97% (HPLC)

K0849 | 1097652-86-2



Formula : C₂₂H₁₂Cl₄N₂
M.W. : 446.16 g/mole
Grade : > 95% (HPLC)

K0851 | 1374147-31-5



Formula : C₁₇H₁₁BrN₂
M.W. : 323.19 g/mole
Grade : > 98% (HPLC)

K0854 | 2255-80-3




Formula : C₇H₇BrN₂S
M.W. : 229.1 g/mole
Grade : > 98% (HPLC)

K0855 | 1457-92-7




Formula : C₇H₆N₂S
M.W. : 150.2 g/mole
Grade : > 98% (HPLC)

K0860 | 1424369-37-8




Formula : C₁₁H₆ClNO
M.W. : 203.62 g/mole
Grade : > 96% (HPLC)

K0861 | 73025-93-1




Formula : C₁₈H₂₁NS
M.W. : 283.43 g/mole
Grade : > 98% (HPLC)

K0862 |




Formula : C₁₅H₉BrN₂
M.W. : 297.15 g/mole
Grade : > 98% (HPLC)

K0863 | 37694-95-4




Formula : C₁₅H₁₀N₂
M.W. : 218.25 g/mole
Grade : > 98% (HPLC)

K0864 | 946147-12-2




Formula : C₁₆H₁₂N₂
M.W. : 232.28 g/mole
Grade : > 98% (HPLC)

K0865 | 132141-40-3




Formula : C₂₁H₁₄N₂
M.W. : 294.35 g/mole
Grade : > 98% (HPLC)

K0869 | 208124-25-8




Formula : C₂₀H₁₃Br₂N₃
M.W. : 455.15 g/mole
Grade : > 98% (HPLC)

K0876 | 1492917-86-8




Formula : C₁₆H₁₁BrN₂
M.W. : 311.18 g/mole
Grade : > 98% (HPLC)

K0878 | 114415-25-7




Formula : C₁₂H₁₁NO₄
M.W. : 233.22 g/mole
Grade : > 98% (HPLC)

K0880 | 864377-31-1




Formula : C₂₁H₁₄BrN₃
M.W. : 388.26 g/mole
Grade : > 98% (HPLC)

K0891 | 58536-46-2




Formula : C₂₂H₁₅BrN₂
M.W. : 387.27 g/mole
Grade : > 98% (HPLC)

K0892 | 864377-28-6




Formula : C₂₂H₁₅BrN₂
M.W. : 387.27 g/mole
Grade : > 98% (HPLC)

K0911 | 20077-15-0




Formula : C₁₃H₇BrO₃S
M.W. : 323.16 g/mole
Grade : > 98% (HPLC)

K0912 | 1429119-69-6




Formula : C₄₈H₂₄Br₂N₂O₂S₂
M.W. : 935.05 g/mole
Grade : > 98% (NMR)

K0915 | 1671-85-8




Formula : C₁₂H₉N₅
M.W. : 223.23 g/mole
Grade : > 98% (HPLC)

K0917 | 29874-83-7




Formula : C₁₄H₉ClN₂
M.W. : 240.69 g/mole
Grade : > 98% (HPLC)

K0918 | 103028-31-5




Formula : C₁₀H₈BrNO
M.W. : 238.08 g/mole
Grade : > 98% (HPLC)

K0921 | 19654-19-4




Formula : C₁₃H₈BrNS
M.W. : 290.18 g/mole
Grade : > 98% (HPLC)

K0923 | 65662-88-6




Formula : C₁₂H₉BrO₂S
M.W. : 297.17 g/mole
Grade : > 98% (HPLC)

K0924 | 23038-36-0




Formula : C₁₂H₉BrO₂S
M.W. : 297.17 g/mole
Grade : > 98% (HPLC)

K0925 | 846-85-8




Formula : C₁₂H₇BrO₂S
M.W. : 295.15 g/mole
Grade : > 98% (HPLC)

K0936 | 1445416-81-8




Formula : C₂₅H₁₆N₂S
M.W. : 376.47 g/mole
Grade : > 98% (HPLC)

K0937 | 1353724-76-1




Formula : C₃₄H₁₆Br₂N₂O₂S₂
M.W. : 738.68 g/mole
Grade : > 97% (NMR)

K0938 | 23449-08-3



Formula : C₂₁H₁₄BrN₃
M.W. : 388.26 g/mole
Grade : > 98% (HPLC)

K0939 |




Formula : C₂₁H₁₉NS
M.W. : 317.45 g/mole
Grade : > 98% (HPLC)

K0950 | 909036-46-0




Formula : C₅H₄ClIN₂
M.W. : 254.46 g/mole
Grade : > 98% (HPLC)

K0951 | 1235872-86-2




Formula : $C_{11}H_7BrClNS$
M.W. : 298.59 g/mole
Grade : > 98% (HPLC)

K0955 | 83817-44-1




Formula : $C_{14}H_9BrN_2O$
M.W. : 301.14 g/mole
Grade : > 98% (HPLC)

K0957 | 1429119-68-5




Formula : $C_{48}H_{76}N_2O_2S_2$
M.W. : 777.26 g/mole
Grade : > 97% (NMR)

K0989 |




Formula : $C_{17}H_{12}N_2O_2$
M.W. : 276.29 g/mole
Grade : > 98% (HPLC)

K0990 | 92545-83-0




Formula : $C_{11}H_8BrNO$
M.W. : 250.09 g/mole
Grade : > 98% (HPLC)

K0998 | 182918-13-4




Formula : $C_{27}H_{18}ClN_3$
M.W. : 419.90 g/mole
Grade : > 98% (HPLC)

K1001 | 1621089-66-4




Formula : $C_7H_8IN_2O_2$
M.W. : 291.05 g/mole
Grade : > 98% (HPLC)

K1002 | 120491-90-9




Formula : $C_{11}H_{12}INO_4$
M.W. : 349.12 g/mole
Grade : > 98% (HPLC)

K1147 | 5408-56-0




Formula : $C_{12}H_7IO$
M.W. : 294.09 g/mole
Grade : > 99%

K1148 | 5943-11-3




Formula : $C_{12}H_7I_2O$
M.W. : 419.98 g/mole
Grade : > 99%

K1149 | 607-68-1




Formula : $C_8H_4Cl_2N_2$
M.W. : 199.04 g/mole
Grade : > 99%

K1150 | 201138-91-2




Formula : $C_{12}H_6Br_2O$
M.W. : 325.98 g/mole
Grade : > 99%

K1151 | 77989-15-2




Formula : $C_{21}H_{14}BrN_3$
M.W. : 388.26 g/mole
Grade : > 98%

K1152 | 419557-33-8




Formula : $C_{13}H_9BrN_2$
M.W. : 273.13 g/mole
Grade : > 99%

K1153 | 1627917-16-1




Formula : $C_{16}H_9BrO$
M.W. : 297.15 g/mole
Grade : > 99%

K1154 | 1202564-31-5




Formula : $C_{16}H_9ClN_2$
M.W. : 264.71 g/mole
Grade : > 99%

K1155 | 1677677-90-5




Formula : $C_{22}H_{13}ClN_2$
M.W. : 340.81 g/mole
Grade : > 99%

K1157 | 5471-63-6




Formula : $C_{20}H_{14}O$
M.W. : 270.32 g/mole
Grade : > 99%

K1158 |




Formula : $C_{34}H_{23}BrN_2$
M.W. : 539.46 g/mole
Grade : > 99%

K1159 | 34658-66-7




Formula : $C_{13}H_9BrN_2$
M.W. : 273.13 g/mole
Grade : > 99%

K1160 | 760212-40-6




Formula : C₁₉H₁₃BrN₂
M.W. : 349.22 g/mole
Grade : > 99%

K1161 | 63996-36-1




Formula : C₁₁H₈BrN
M.W. : 234.09 g/mole
Grade : > 99%

K1162 | 4295-12-9




Formula : C₁₀H₈ClN
M.W. : 177.63 g/mole
Grade : > 99%

K1163 | 1319720-64-3




Formula : C₂₁H₁₈BrN
M.W. : 364.28 g/mole
Grade : > 99%

K1164 | 27012-25-5




Formula : C₁₁H₈BrN
M.W. : 234.09 g/mole
Grade : > 99%

K1244 | 112642-69-0




Formula : C₁₄H₂₁N₃
M.W. : 231.34 g/mole
Grade : > 98%

K1245 | 890704-00-4




Formula : C₁₃H₁₆BrN₃
M.W. : 282.18 g/mole
Grade : > 98%

K1246 | 960509-83-5




Formula : C₁₄H₁₀Br₂N₃
M.W. : 389.13 g/mole
Grade : > 97%(HPLC)

K1247 | 890704-02-6




Formula : C₁₂H₁₄Br₃N₃
M.W. : 439.97 g/mole
Grade : > 98%

K1248 | 1254062-41-3




Formula : C₂₂H₂₃Br₂N₃S₂
M.W. : 553.38 g/mole
Grade : > 95% (HPLC)

K1249 | 1198843-27-4




Formula : C₂₀H₁₃Br₂N₃
M.W. : 455.15 g/mole
Grade : > 98%

K1252 | 1147124-23-9




Formula : C₂₂H₃₆N₂O₃
M.W. : 376.53 g/mole
Grade : > 98%

K1253 | 1263379-85-6




Formula : C₃₂H₄₀Br₂N₂O₂
M.W. : 644.48 g/mole
Grade : > 98%

K1254 | 623558-68-9




Formula : C₅H₈Br₂N₂O₂
M.W. : 981.12 g/mole
Grade : > 98%(HPLC)

K1255 | 1040390-19-9




Formula : C₈H₇N₃OS
M.W. : 193.23 g/mole
Grade : > 98%

K1256 | 29608-87-5




Formula : C₁₆Br₂N₂S₂
M.W. : 299.99 g/mole
Grade : > 98%

K1257 | 14162-94-8




Formula : C₁₂H₈N₂S₄
M.W. : 306.45 g/mole
Grade : > 98%

K1258 | 14162-95-9




Formula : C₁₀H₇ClN₂
M.W. : 190.63 g/mole
Grade : > 98%

K1259 | 831225-81-1




Formula : C₁₀H₇BrN₂
M.W. : 235.08 g/mole
Grade : > 98%

K1260 | 1762-41-0




Formula : C₁₀H₆I₂N₂
M.W. : 407.98 g/mole
Grade : > 98%

K1261 | 18511-71-2




Formula : $C_{10}H_6Cl_2N_2$
M.W. : 225.07 g/mole
Grade : > 98%

K1262 | 18511-69-8




Formula : $C_{10}H_6Br_2N_2$
M.W. : 313.98 g/mole
Grade : > 98%

K1264 | 71071-46-0




Formula : $C_{10}H_{10}N_4$
M.W. : 186.21 g/mole
Grade : > 98%

K1265 | 56100-19-7




Formula : $C_{14}H_{12}N_2O_4$
M.W. : 272.26 g/mole
Grade : > 98%

K1266 | 1748-89-6




Formula : $C_{11}H_{10}N_2$
M.W. : 170.21 g/mole
Grade : > 98%

K1267 | 917874-25-0




Formula : $C_{11}H_8N_2O_2$
M.W. : 200.19 g/mole
Grade : > 98%

K1268 | 1802-30-8




Formula : $C_{12}H_{10}N_2O_2$
M.W. : 214.22 g/mole
Grade : > 98%

K1269 | 1970-80-5




Formula : $C_{12}H_8N_2O_4$
M.W. : 244.2 g/mole
Grade : > 98%

K1270 | 10495-73-5




Formula : $C_{11}H_8N_2O_2$
M.W. : 200.19 g/mole
Grade : > 98%

K1271 | 162612-08-0




Formula : $C_{10}H_7BrN_2$
M.W. : 235.08 g/mole
Grade : > 98%

K1272 | 15862-18-7




Formula : $C_{10}H_7ClN_2$
M.W. : 190.63 g/mole
Grade : > 98%

K1274 | 149817-62-9




Formula : $C_{10}H_6Br_2N_2$
M.W. : 313.98 g/mole
Grade : > 98%

K1275 | 89972-76-9




Formula : $C_{10}H_6Br_2N_2$
M.W. : 313.98 g/mole
Grade : > 98%

K1276 | 194800-58-3




Formula : $C_{18}H_{12}N_2S_2$
M.W. : 320.43 g/mole
Grade : > 98%

K1277 | 161583-75-1




Formula : $C_{15}H_{10}BrN_3$
M.W. : 312.16 g/mole
Grade : > 98%

K1278 | 216018-58-5




Formula : $C_{25}H_{24}N_3O_3P$
M.W. : 445.45 g/mole
Grade : > 98%

K1298 | 40102-86-1




Formula : $C_{13}H_6Br_2OS$
M.W. : 370.06 g/mole
Grade : >98% (HPLC)

K1299 | 192799-87-4




Formula : $C_{12}H_7BrOS$
M.W. : 279.15 g/mole
Grade : >98% (HPLC)

K1300 | 101579-12-8




Formula : $C_{18}H_8Br_2N_4$
M.W. : 440.09 g/mole
Grade : >98% (HPLC)

K1303 | 500286-36-2




Formula : $C_{13}H_7BrO_2$
M.W. : 275.1 g/mole
Grade : >98% (HPLC)

K1304 | 2061376-86-9




Formula : C₂₃H₁₈FN₃
 M.W. : 355.41 g/mole
 Grade : >98% (HPLC)

K1305 | 2061376-85-8




Formula : C₂₂H₁₆FN₃
 M.W. : 341.38 g/mole
 Grade : >98% (HPLC)

K1318 | 142646-58-0




Formula : C₂₈H₄₄N₂
 M.W. : 408.66 g/mole
 Grade : ≥99%

K1319 | 123640-38-0




Formula : C₁₁H₉N₅
 M.W. : 211.23 g/mole
 Grade : ≥99%

K1320 | 874628-17-8



Formula : C₃₈H₄₄N₂O₂
 M.W. : 560.77 g/mole
 Grade : ≥99%

K1321 | 23569-17-7




Formula : C₉H₁₃NO
 M.W. : 151.21 g/mole
 Grade : ≥99%



Synthetic Intermediates and Reagents


Iridium Complexes / Ligands

K0036 | 562824-27-5




Formula : $C_{44}H_{24}Cl_2Ir_2N_4F_8$
M.W. : 1216.02 g/mole
Grade : > 98% (NMR)

K0042 | 391604-55-0




Formula : $C_{11}H_7F_2N$
M.W. : 191.18 g/mole
Grade : > 98% (HPLC)

K0043 | 38210-35-4




Formula : $C_{13}H_9NS$
M.W. : 211.28 g/mole
Grade : > 98% (HPLC)

K0044 | 3297-72-1




Formula : $C_{15}H_{11}N$
M.W. : 205.25 g/mole
Grade : > 98% (HPLC)

K0045 | 612-96-4




Formula : $C_{15}H_{11}N$
M.W. : 205.25 g/mole
Grade : > 98% (HPLC)

K0046 | 889750-37-2




Formula : $C_{24}H_{19}N$
M.W. : 321.41 g/mole
Grade : > 98% (HPLC)

K0047 | 435277-99-9




Formula : $C_{24}H_{19}N$
M.W. : 321.41 g/mole
Grade : > 98% (HPLC)

K0055 | 39778-14-8




Formula : $C_{14}H_{13}IN_2$
M.W. : 336.17 g/mole
Grade : > 97% (HPLC)

K0144 | 87065-50-7




Formula : $C_{21}H_{23}N$
M.W. : 289.41 g/mole
Grade : > 98% (HPLC)

K0145 | 837-97-8




Formula : $C_{14}H_9NO_2$
M.W. : 223.23 g/mole
Grade : > 98% (HPLC)

K0147 | 33893-89-9




Formula : $C_6H_5N_5$
M.W. : 147.14 g/mole
Grade : > 98% (HPLC)

K0148 | 4373-61-9




Formula : $C_{12}H_{11}N$
M.W. : 169.22 g/mole
Grade : > 98% (HPLC)

K0149 | 4789-76-8




Formula : $C_{16}H_{13}N$
M.W. : 219.28 g/mole
Grade : > 98% (HPLC)

K0390 | 536753-86-3




Formula : $C_{17}H_{12}N_2$
M.W. : 244.29 g/mole
Grade : > 98% (HPLC)

K0440 | 603109-48-4




Formula : $C_{44}H_{32}Cl_2Ir_2N_4$
M.W. : 1072.09 g/mole
Grade : > 97% (HPLC)

K0473 | 883129-97-3




Formula : $C_{48}H_{20}Cl_2F_8Ir_2N_8$
M.W. : 1316.05 g/mole
Grade : > 75% (NMR)

K0474 | 1193263-65-8




Formula : $C_{52}H_{28}Cl_2F_{20}Ir_2N_4$
M.W. : 1544.11 g/mole
Grade : > 95% (NMR)

K0484 | 1056874-43-1




Formula : $C_{68}H_{56}Cl_2Ir_2N_4$
M.W. : 1384.54 g/mole
Grade : > 95% (NMR)

K0496 | 435278-09-4



Formula : $C_{21}H_{23}N$
M.W. : 289.41 g/mole
Grade : > 98% (HPLC)

K0517 | 81820-65-7




Formula : $C_{13}H_9NS$
M.W. : 211.28 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Iridium Complexes / Ligands

K0518 | 1350748-60-5




Formula : C₁₇H₁₇NS
M.W. : 267.39 g/mole
Grade : > 98% (HPLC)

K0520 | 1056451-44-5




Formula : C₁₇H₁₅N
M.W. : 233.31 g/mole
Grade : > 98% (HPLC)

K0521 |




Formula : C₂₄H₂₂N₂
M.W. : 338.44 g/mole
Grade : > 98% (HPLC)

K0523 | 18653-75-3




Formula : C₈H₇N₃
M.W. : 145.16 g/mole
Grade : > 98% (HPLC)

K0525 | 65039-06-7




Formula : C₁₀H₁₁IN₂
M.W. : 286.11 g/mole
Grade : > 97% (HPLC)

K0526 |




Formula : C₁₁H₁₃IN₂
M.W. : 300.14 g/mole
Grade : > 97% (HPLC)

K0527 |




Formula : C₁₀H₁₀FIN₂
M.W. : 304.10 g/mole
Grade : > 97% (HPLC)

K0532 | 458541-39-4




Formula : C₁₇H₁₃N
M.W. : 231.29 g/mole
Grade : > 98% (HPLC)

K0559 | 914306-50-6




Formula : C₂₁H₂₄N₂
M.W. : 304.43 g/mole
Grade : > 98% (HPLC)

K0568 | 1314639-66-1




Formula : C₁₄H₁₄F₂N₂
M.W. : 248.27 g/mole
Grade : > 98% (HPLC)

K0580 | 909405-17-0




Formula : C₁₇H₁₅N
M.W. : 233.31 g/mole
Grade : > 98% (HPLC)

K0585 | 736928-20-4




Formula : C₁₇H₁₁IN₂
M.W. : 370.19 g/mole
Grade : > 98% (HPLC)

K0599 |




Formula : C₁₉H₁₇N
M.W. : 259.34 g/mole
Grade : > 98% (HPLC)

K0613 | 25364-47-0




Formula : C₁₅H₂₀N₂
M.W. : 228.33 g/mole
Grade : > 98% (HPLC)

K0773 | 1101187-10-3




Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

K0774 | 851775-42-3




Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

K0775 | 1012310-87-0




Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

K0776 | 101893-57-6




Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

K0777 | 85237-71-4



Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

K0778 | 80635-92-3




Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Iridium Complexes / Ligands

K0779 | 25363-46-6




Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

K0780 | 64291-96-9




Formula : C₁₃H₁₃N
M.W. : 183.25 g/mole
Grade : > 98% (HPLC)

K0781 | 15827-72-2




Formula : C₁₇H₁₃N
M.W. : 231.29 g/mole
Grade : > 98% (HPLC)

K0782 | 156021-08-8




Formula : C₁₈H₁₅N
M.W. : 245.32 g/mole
Grade : > 98% (HPLC)

K0783 | 26274-35-1




Formula : C₁₇H₁₃N
M.W. : 231.29 g/mole
Grade : > 98% (HPLC)

K0784 |




Formula : C₅₂H₄₈Cl₂Ir₂N₄
M.W. : 1184.30 g/mole
Grade : > 95% (NMR)

K0785 |




Formula : C₅₂H₄₈Cl₂Ir₂N₄
M.W. : 1184.30 g/mole
Grade : > 95% (NMR)

K0786 |




Formula : C₅₂H₄₈Cl₂Ir₂N₄
M.W. : 1184.30 g/mole
Grade : > 95% (NMR)

K0833 | 66318-88-5




Formula : C₁₅H₁₁N
M.W. : 205.25 g/mole
Grade : > 98% (HPLC)

K0856 | 512180-22-2




Formula : C₁₅H₉F₂N
M.W. : 241.24 g/mole
Grade : > 98% (HPLC)

K0859 | 1361941-59-4




Formula : C₁₂H₁₅N₃
M.W. : 201.27 g/mole
Grade : > 98% (HPLC)

K0873 | 1431374-74-1




Formula : C₁₁H₆F₃N
M.W. : 209.17 g/mole
Grade : > 98% (HPLC)

K0879 | 25700-11-2




Formula : C₈H₇N₃
M.W. : 145.16 g/mole
Grade : > 98% (HPLC)

K0913 | 1008-89-5




Formula : C₁₁H₉N
M.W. : 155.20 g/mole
Grade : > 98% (HPLC)

K0914 | 14996-61-3




Formula : IrCl₃ · xH₂O
M.W. : 298.58 (anhydrous basis)
Grade : > 99%
Ir Content : > 52%

K0943 | 391250-41-2



Formula : C₁₂H₉F₂N
M.W. : 205.20 g/mole
Grade : > 98% (HPLC)

K1000 | 1268634-30-5




Formula : C₁₈H₁₇N
M.W. : 247.33 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Silanes Derivatives

K0069 | 18737-40-1




Formula : $C_{24}H_{19}BrSi$
 M.W. : 415.40 g/mole
 Grade : > 98% (HPLC)

K0095 | 852138-90-0




Formula : $C_{24}H_{32}Br_2Si$
 M.W. : 508.40 g/mole
 Grade : > 97% (HPLC)

K0096 | 891182-24-4




Formula : $C_{28}H_{40}Br_2Si$
 M.W. : 564.51 g/mole
 Grade : > 97% (HPLC)

K0097 |




Formula : $C_{28}H_{40}Br_2Si$
 M.W. : 564.51 g/mole
 Grade : > 97% (HPLC)

K0101 | 188690-66-6




Formula : $C_{20}H_{28}Br_2S_2Si$
 M.W. : 520.46 g/mole
 Grade : > 97% (HPLC)

K0102 | 1160106-14-8




Formula : $C_{24}H_{36}Br_2S_2Si$
 M.W. : 576.57 g/mole
 Grade : > 97% (HPLC)

K0103 | 1089687-05-7




Formula : $C_{24}H_{36}Br_2S_2Si$
 M.W. : 576.57 g/mole
 Grade : > 98% (HPLC)

K0219 | 906372-08-5




Formula : $C_{20}H_{30}S_2Si$
 M.W. : 362.67 g/mole
 Grade : > 98% (HPLC)

K0220 | 1207627-85-7




Formula : $C_{24}H_{38}S_2Si$
 M.W. : 418.77 g/mole
 Grade : > 97% (HPLC)

K0391 | 438546-40-8




Formula : $C_{24}H_{16}Br_4Si$
 M.W. : 652.09 g/mole
 Grade : > 98% (HPLC)

K0414 | 8981182-24-2




Formula : $C_{28}H_{42}Si$
 M.W. : 406.72 g/mole
 Grade : > 97% (HPLC)

K0491 | 207742-50-5




Formula : $C_{14}H_{20}Br_2S_2Si_2$
 M.W. : 468.42 g/mole
 Grade : > 98% (HPLC)

K0533 | 1613310-44-3




Formula : $C_{24}H_{18}Br_2Si$
 M.W. : 494.29 g/mole
 Grade : > 98% (HPLC)

K0536 | 18733-91-0




Formula : $C_{24}H_{18}Br_2Si$
 M.W. : 494.29 g/mole
 Grade : > 98% (HPLC)

K0092 | 15155-41-6




Formula : C₆H₂Br₂N₂S
M.W. : 293.97 g/mole
Grade : > 98% (HPLC)

K0094 | 288071-87-4




Formula : C₁₄H₆Br₂N₂S₃
M.W. : 458.21 g/mole
Grade : > 98% (HPLC)

K0098 | 528570-55-0




Formula : C₂₁H₂₈Br₂S₂
M.W. : 504.39 g/mole
Grade : > 98% (HPLC)

K0099 | 478404-10-3




Formula : C₂₅H₃₆Br₂S₂
M.W. : 560.49 g/mole
Grade : > 98% (HPLC)

K0100 | 365547-21-3




Formula : C₂₅H₃₆Br₂S₂
M.W. : 560.49 g/mole
Grade : > 98% (HPLC)

K0101 | 188690-66-6




Formula : C₃₀H₂₈Br₂S₂Si
M.W. : 520.46 g/mole
Grade : > 97% (HPLC)

K0102 | 1160106-14-8




Formula : C₂₄H₃₆Br₂S₂Si
M.W. : 576.57 g/mole
Grade : > 97% (HPLC)

K0103 | 1089687-05-7




Formula : C₂₄H₃₆Br₂S₂Si
M.W. : 576.57 g/mole
Grade : > 98% (HPLC)

K0104 | 129415-75-5




Formula : C₂₆H₃₆Br₂O₂S₂
M.W. : 604.50 g/mole
Grade : > 98% (HPLC)

K0105 | 1098102-93-2




Formula : C₁₉H₂₆Br₂O₂S₂
M.W. : 510.35 g/mole
Grade : > 98% (HPLC)

K0106 | 1000623-95-9




Formula : C₃₀H₃₈Br₂N₂O₂S₂
M.W. : 682.57 g/mole
Grade : > 98% (NMR)

K0107 | 180729-93-5




Formula : C₁₈H₂₆Br₂N₂S₂
M.W. : 494.35 g/mole
Grade : > 98% (HPLC)

K0108 | 853722-91-5




Formula : C₂₆H₃₀Br₂N₂S₄
M.W. : 658.60 g/mole
Grade : > 98% (HPLC)

K0110 | 359017-65-5




Formula : C₂₂H₂₈Br₂O₂S₂
M.W. : 548.39 g/mole
Grade : > 98% (HPLC)

K0111 | 1226782-13-3




Formula : C₂₆H₃₆Br₂O₂S₂
M.W. : 604.50 g/mole
Grade : > 98% (HPLC)

K0115 | 655249-04-0




Formula : C₁₄H₁₇Br₂S₂
M.W. : 329.32 g/mole
Grade : > 95% (HPLC)

K0116 | 1214906-01-0




Formula : C₂₆H₃₀Br₂N₂O₂S₂
M.W. : 626.47 g/mole
Grade : > 98% (NMR)

K0117 | 1057401-13-4




Formula : C₃₀H₃₈Br₂N₂O₂S₂
M.W. : 682.57 g/mole
Grade : > 98% (NMR)

K0122 | 1308671-90-0



Formula : C₃₀H₃₈BrN₂O₂S₂
M.W. : 603.68 g/mole
Grade : > 98% (NMR)

K0123 | 258527-25-2




Formula : C₉H₄Br₂S₂
M.W. : 336.07 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0127 | 1693-86-3




Formula : C₁₀H₁₆S
M.W. : 168.30 g/mole
Grade : > 98% (HPLC)

K0130 | 389-58-2




Formula : C₉H₆S₂
M.W. : 178.27 g/mole
Grade : > 98% (HPLC)

K0132 | 116971-11-0




Formula : C₁₀H₁₄Br₂S
M.W. : 326.09 g/mole
Grade : > 98% (HPLC)

K0140 | 32281-36-0




Formula : C₁₀H₄O₂S₂
M.W. : 220.27 g/mole
Grade : > 98% (HPLC)

K0212 | 359017-55-3




Formula : C₂₂H₃₀O₂S₂
M.W. : 390.60 g/mole
Grade : > 98% (HPLC)

K0213 | 1160823-77-7




Formula : C₂₆H₃₈O₂S₂
M.W. : 446.71 g/mole
Grade : > 98% (HPLC)

K0214 | 1098102-94-3




Formula : C₂₆H₃₈O₂S₂
M.W. : 446.71 g/mole
Grade : > 98% (HPLC)

K0216 | 333432-27-2




Formula : C₅HBr₂N₃S
M.W. : 294.95 g/mole
Grade : > 98% (HPLC)

K0219 | 906372-08-5




Formula : C₂₀H₃₀S₂Si
M.W. : 362.67 g/mole
Grade : > 98% (HPLC)

K0220 | 1207627-85-7




Formula : C₂₄H₃₈S₂Si
M.W. : 418.77 g/mole
Grade : > 97% (HPLC)

K0260 | 566939-58-0




Formula : C₁₄H₁₇Br₂NO₂S
M.W. : 423.16 g/mole
Grade : > 98% (HPLC)

K0262 | 1057401-08-7




Formula : C₃₀H₄₀N₂O₂S₂
M.W. : 524.78 g/mole
Grade : > 97% (NMR)

K0263 | 852435-01-9




Formula : C₂₆H₃₂N₂O₂S₂
M.W. : 468.67 g/mole
Grade : > 97% (NMR)

K0264 | 1185885-86-2




Formula : C₃₀H₄₀N₂O₂S₂
M.W. : 524.78 g/mole
Grade : > 97% (NMR)

K0268 | 444177-63-3




Formula : C₁₂H₁₈Br₂S
M.W. : 354.14 g/mole
Grade : > 98% (HPLC)

K0269 | 149703-84-4




Formula : C₁₂H₁₈Br₂S
M.W. : 354.14 g/mole
Grade : > 98% (HPLC)

K0271 | 492-97-7



Formula : C₈H₆S₂
M.W. : 166.26 g/mole
Grade : > 97% (HPLC)

K0272 | 173448-31-2



Formula : C₁₄H₁₈S₂
M.W. : 250.42 g/mole
Grade : > 98% (HPLC)

K0276 | 250-84-0



Formula : C₆H₄S₂
M.W. : 140.23 g/mole
Grade : > 98% (HPLC)

K0277 | 251-41-2




Formula : C₆H₄S₂
M.W. : 140.23 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0278 | 4805-22-5




Formula : $C_8H_4Br_2S_2$
M.W. : 324.06 g/mole
Grade : > 98% (HPLC)

K0279 | 3593-75-7




Formula : $C_8H_4S_3$
M.W. : 196.31 g/mole
Grade : > 97% (HPLC)

K0280 | 2404-89-9




Formula : $C_8H_6S_2$
M.W. : 166.26 g/mole
Grade : > 96% (HPLC)

K0281 | 116971-10-9




Formula : $C_8H_{10}Br_2S$
M.W. : 298.04 g/mole
Grade : > 98% (HPLC)

K0282 | 69249-61-2




Formula : $C_{10}H_{13}BrS$
M.W. : 247.20 g/mole
Grade : > 98% (HPLC)

K0283 | 211737-28-9




Formula : $C_{10}H_{13}BrS$
M.W. : 247.20 g/mole
Grade : > 98% (HPLC)

K0284 | 98057-08-0




Formula : $C_{12}H_6Br_2S_3$
M.W. : 406.18 g/mole
Grade : > 98% (HPLC)

K0285 | 1081-34-1




Formula : $C_{12}H_8S_3$
M.W. : 248.39 g/mole
Grade : > 98% (HPLC)

K0286 | 145543-83-5



Formula : $C_{12}H_{19}BrS$
M.W. : 275.25 g/mole
Grade : > 98% (HPLC)

K0287 | 158956-23-1




Formula : $C_{14}H_{22}Br_2S$
M.W. : 382.20 g/mole
Grade : > 98% (HPLC)

K0288 | 65016-55-9



Formula : $C_{14}H_{24}S$
M.W. : 224.41 g/mole
Grade : > 98% (HPLC)

K0289 | 148256-63-7



Formula : $C_{16}H_{26}Br_2S$
M.W. : 410.25 g/mole
Grade : > 98% (HPLC)

K0290 | 104934-52-3




Formula : $C_{16}H_{28}S$
M.W. : 252.46 g/mole
Grade : > 98% (HPLC)

K0291 | 139100-06-4




Formula : $C_{16}H_{27}BrS$
M.W. : 331.35 g/mole
Grade : > 96% (HPLC)

K0292 | 132814-91-6




Formula : $C_{28}H_{34}S_4$
M.W. : 498.83 g/mole
Grade : > 98% (HPLC)

K0297 | 566939-56-8




Formula : $C_{12}H_{13}Br_2NO_2S$
M.W. : 395.11 g/mole
Grade : > 98% (HPLC)

K0298 | 1231160-83-0




Formula : $C_{14}H_{17}Br_2NO_2S$
M.W. : 423.16 g/mole
Grade : > 98% (HPLC)

K0305 | 121134-38-1




Formula : $C_{12}H_{20}S$
M.W. : 196.35 g/mole
Grade : > 98% (HPLC)

K0307 | 65016-62-8



Formula : $C_{12}H_{20}S$
M.W. : 196.35 g/mole
Grade : > 98% (HPLC)

K0308 | 303734-52-3



Formula : $C_{12}H_{19}BrS$
M.W. : 275.25 g/mole
Grade : > 98% (HPLC)

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0309 | 144012-09-9




Formula : C₁₄H₂₃BrS
M.W. : 303.30 g/mole
Grade : > 98% (HPLC)

K0312 | 609369-40-6




Formula : C₁₅H₁₈OS₂
M.W. : 278.43 g/mole
Grade : > 98% (HPLC)

K0313 | 942435-50-9




Formula : C₁₆H₂₀S₂
M.W. : 276.46 g/mole
Grade : > 97% (HPLC)

K0314 | 1000623-98-2




Formula : C₄₆H₇₀Br₂N₂O₂S₂
M.W. : 907.00 g/mole
Grade : > 98% (NMR)

K0315 | 180729-92-4




Formula : C₁₈H₂₈N₂S₂
M.W. : 336.56 g/mole
Grade : > 98% (HPLC)

K0330 | 1049034-71-0



Formula : C₆₄H₇₂Br₂S₂
M.W. : 1065.19 g/mole
Grade : > 98% (HPLC)

K0343 | 2536-91-6




Formula : C₈H₈N₂S
M.W. : 164.23 g/mole
Grade : > 97% (HPLC)

K0368 | 88-13-1




Formula : C₅H₄O₂S
M.W. : 128.15 g/mole
Grade : > 97% (HPLC)

K0376 | 1134789-63-1




Formula : C₁₅H₆Br₃N₃S₃
M.W. : 564.14 g/mole
Grade : > 98% (HPLC)

K0379 | 182631-76-1




Formula : C₁₈H₁₂N₂S₂
M.W. : 320.43 g/mole
Grade : > 98% (HPLC)

K0380 | 753470-95-0




Formula : C₃₂H₅₂Br₂S₂
M.W. : 660.69 g/mole
Grade : > 98% (HPLC)

K0381 | 888491-16-5




Formula : C₃₆H₆₀Br₂S₂
M.W. : 716.80 g/mole
Grade : > 98% (HPLC)

K0382 | 143746-72-9




Formula : C₁₈H₆O₂S₂
M.W. : 320.38 g/mole
Grade : > 98% (NMR)

K0383 | 25143-53-5




Formula : C₉H₂Br₄S₂
M.W. : 481.85 g/mole
Grade : > 98% (HPLC)

K0393 | 31574-87-5




Formula : C₁₂H₆Br₂S
M.W. : 342.05 g/mole
Grade : > 98% (HPLC)

K0407 | 153312-86-8




Formula : C₂₁H₃₀S₂
M.W. : 346.59 g/mole
Grade : > 98% (HPLC)

K0408 | 4282-29-5




Formula : C₆H₄O₄S
M.W. : 172.16 g/mole
Grade : > 98% (HPLC)

K0409 | 773881-47-3



Formula : C₁₈H₂₅Br₂NO₂S
M.W. : 479.27 g/mole
Grade : > 98% (HPLC)

K0411 | 1362678-15-6



Formula : C₄₀H₅₆Br₂N₂S₂
M.W. : 788.82 g/mole
Grade : > 98% (HPLC)

K0415 | 25792-77-4



Formula : C₉H₄OS₂
M.W. : 192.26 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0416 | 6007-85-8




Formula : $C_6H_2O_3S$
M.W. : 154.14 g/mole
Grade : > 98% (HPLC)

K0421 | 936711-08-9




Formula : $C_{32}H_{40}Br_2N_2S_2$
M.W. : 676.61 g/mole
Grade : > 98% (HPLC)

K0422 | 120451-23-3




Formula : $C_{32}H_{40}Br_2N_2S_2$
M.W. : 676.61 g/mole
Grade : > 98% (HPLC)

K0423 |




Formula : $C_{28}H_{32}Br_2N_2S_2$
M.W. : 620.51 g/mole
Grade : > 98% (HPLC)

K0424 |




Formula : $C_{20}H_{17}Br_2NO_2S_3$
M.W. : 559.36 g/mole
Grade : > 98% (HPLC)

K0425 | 1286745-60-5




Formula : $C_{22}H_{21}Br_2NO_2S_3$
M.W. : 587.4 g/mole
Grade : > 98% (HPLC)

K0426 | 1286745-57-0




Formula : $C_{22}H_{21}Br_2NO_2S_3$
M.W. : 587.41 g/mole
Grade : > 98% (HPLC)

K0427 | 165617-59-4




Formula : $C_6Br_2N_4S_2$
M.W. : 352.03 g/mole
Grade : > 98%

K0431 | 2160-62-5




Formula : C_5H_2BrNS
M.W. : 188.05 g/mole
Grade : > 98% (HPLC)

K0434 | 1160823-76-6




Formula : $C_{15}H_{17}Br_2FO_2S_2$
M.W. : 472.23 g/mole
Grade : > 98% (HPLC)

K0435 | 1202249-72-6




Formula : $C_{14}H_{15}Br_2FOS_2$
M.W. : 442.20 g/mole
Grade : > 98% (HPLC)

K0438 | 1086429-77-1




Formula : $C_{25}H_{39}NS_2$
M.W. : 417.71 g/mole
Grade : > 98% (HPLC)

K0443 | 1347736-74-6




Formula : $C_6HBr_2FN_2S$
M.W. : 311.96 g/mole
Grade : > 98% (HPLC)

K0445 | 1260685-63-9




Formula : $C_{54}H_{86}Br_2N_2O_2S_2$
M.W. : 1019.21 g/mole
Grade : > 98% (HPLC)

K0448 | 51751-44-1




Formula : $C_8H_4Br_2S_2$
M.W. : 324.06 g/mole
Grade : > 98% (HPLC)

K0459 | 1071224-34-4




Formula : $C_7H_3BrN_2OS$
M.W. : 243.08 g/mole
Grade : > 98% (HPLC)

K0460 | 1335150-10-1




Formula : $C_{10}H_3BrN_4S$
M.W. : 291.13 g/mole
Grade : > 98% (HPLC)

K0461 | 1237479-38-7




Formula : $C_{15}H_{17}Br_2FO_2S_2$
M.W. : 472.23 g/mole
Grade : > 98% (HPLC)

K0466 | 89331-93-1



Formula : $C_{18}H_{17}NS$
M.W. : 279.40 g/mole
Grade : > 98% (HPLC)

K0471 | 1158270-38-2




Formula : $C_{21}H_{31}NS_2$
M.W. : 361.61 g/mole
Grade : > 98% (HPLC)

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0472 | 943920-67-0




Formula : $C_{25}H_{39}NS_2$
M.W. : 417.71 g/mole
Grade : > 98% (HPLC)

K0475 | 1314801-37-0




Formula : $C_{30}H_{38}Br_2N_2O_3S_2$
M.W. : 698.57 g/mole
Grade : > 98% (HPLC)

K0478 | 1283598-36-6




Formula : $C_{30}H_{36}Br_2F_2N_2S_3$
M.W. : 718.62 g/mole
Grade : > 98% (HPLC)

K0479 | 1331742-86-9




Formula : $C_7H_2BrN_3S$
M.W. : 240.08 g/mole
Grade : > 98% (HPLC)

K0491 | 207742-50-5




Formula : $C_{14}H_{20}Br_2S_2Si_2$
M.W. : 468.42 g/mole
Grade : > 98% (HPLC)

K0493 | 153312-87-9




Formula : $C_{25}H_{38}S_2$
M.W. : 402.70 g/mole
Grade : > 98% (HPLC)

K0494 | 365547-20-2




Formula : $C_{25}H_{38}S_2$
M.W. : 402.70 g/mole
Grade : > 98% (HPLC)

K0495 | 1192352-10-5




Formula : $C_{30}H_{38}Br_2N_2O_3S_3$
M.W. : 714.64 g/mole
Grade : > 98% (HPLC)

K0501 |




Formula : $C_{34}H_{46}S_4$
M.W. : 582.99 g/mole
Grade : > 97% (HPLC)

K0504 | 850583-75-4




Formula : $C_{14}H_8N_2O_2S_2$
M.W. : 300.36 g/mole
Grade : > 98% (NMR)

K0505 | 133546-47-1




Formula : $C_{10}H_4N_4S_2$
M.W. : 244.30 g/mole
Grade : > 98% (HPLC)

K0509 | 1352743-83-9




Formula : $C_{14}H_{15}Br_2FOS_2$
M.W. : 442.20 g/mole
Grade : > 98% (HPLC)

K0511 | 153938-81-9




Formula : $C_{24}H_{26}S_4$
M.W. : 442.72 g/mole
Grade : > 98% (HPLC)

K0513 | 1613310-44-3




Formula : $C_{12}H_{11}BrN_2S$
M.W. : 295.20 g/mole
Grade : > 98% (HPLC)

K0514 | 305800-44-6




Formula : $C_9H_{11}BrOS$
M.W. : 247.15 g/mole
Grade : > 98% (HPLC)

K0515 | 339985-36-3




Formula : $C_{30}H_{18}Br_3NS_3$
M.W. : 728.38 g/mole
Grade : > 98% (HPLC)

K0517 | 81820-65-7




Formula : $C_{13}H_9NS$
M.W. : 211.28 g/mole
Grade : > 98% (HPLC)

K0518 | 1350748-60-5




Formula : $C_{17}H_{17}NS$
M.W. : 267.39 g/mole
Grade : > 98% (HPLC)

K0538 | 1421862-27-2



Formula : $C_{34}H_{42}O_2S_2$
M.W. : 546.83 g/mole
Grade : > 98% (HPLC)

K0539 | 1356371-05-5




Formula : $C_{16}H_{14}Br_2O_2S_2$
M.W. : 462.22 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0540 | 1352642-35-3




Formula : $C_{34}H_{42}S_4$
M.W. : 578.96 g/mole
Grade : > 98% (HPLC)

K0547 | 217-19-6




Formula : $C_{14}H_8S_2$
M.W. : 240.34 g/mole
Grade : > 98% (HPLC)

K0548 | 1224709-68-5




Formula : $C_{38}H_{54}Br_2N_2O_2S_2$
M.W. : 794.79 g/mole
Grade : > 98% (HPLC)

K0553 | 143367-56-0




Formula : $C_{14}H_{22}S_2Sn_2$
M.W. : 491.87 g/mole
Grade : > 98% (NMR)

K0554 | 1160823-78-8




Formula : $C_{32}H_{54}O_2S_2Sn_2$
M.W. : 772.32 g/mole
Grade : > 98% (NMR)

K0555 | 1049034-67-4




Formula : $C_{64}H_{74}S_2$
M.W. : 907.4 g/mole
Grade : > 98% (HPLC)

K0556 | 851486-39-0




Formula : $C_{10}H_8Br_2N_2S$
M.W. : 374.05 g/mole
Grade : > 98% (HPLC)

K0557 | 1192352-08-1




Formula : $C_{22}H_{34}Br_2N_2O_2S$
M.W. : 550.39 g/mole
Grade : > 98% (HPLC)

K0558 | 1267540-02-2




Formula : $C_{54}H_{88}N_2O_2S_2$
M.W. : 861.42 g/mole
Grade : > 98% (NMR)

K0560 | 1352642-37-5




Formula : $C_{40}H_{58}S_4Sn_2$
M.W. : 904.57 g/mole
Grade : > 98% (NMR)

K0562 | 1295502-20-3




Formula : $C_{29}H_{46}OS_2$
M.W. : 474.8 g/mole
Grade : > 98% (HPLC)

K0572 | 118726-30-0




Formula : $C_{11}H_6ClNS$
M.W. : 219.69 g/mole
Grade : > 98% (HPLC)

K0594 | 190723-12-7




Formula : $C_6H_2Br_2O_4S$
M.W. : 329.95 g/mole
Grade : > 98% (HPLC)

K0616 | 143469-11-8




Formula : $C_{10}H_2BrF_{13}S$
M.W. : 481.07 g/mole
Grade : > 98% (HPLC)

K0620 | 86134-26-1




Formula : $C_{10}H_{20}SSn_2$
M.W. : 409.75 g/mole
Grade : > 98% (NMR)

K0621 | 1264297-33-7




Formula : $C_{26}H_{32}N_2O_2S_2$
M.W. : 686.71 g/mole
Grade : > 97% (HPLC)

K0622 | 135831-08-2




Formula : $C_{24}H_{32}S_3$
M.W. : 416.71 g/mole
Grade : > 97% (HPLC)

K0623 | 155166-89-5




Formula : $C_{28}H_{40}S_3$
M.W. : 472.81 g/mole
Grade : > 97% (HPLC)

K0625 | 1044598-80-2



Formula : $C_{46}H_{72}N_2O_2S_2$
M.W. : 749.21 g/mole
Grade : > 98% (NMR)

K0630 | 1098102-95-4




Formula : $C_{32}H_{54}O_2S_2Sn_2$
M.W. : 772.32 g/mole
Grade : > 98% (NMR)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0631 | 1044795-08-5




Formula : $C_{40}H_{70}O_2S_2Sn_2$
M.W. : 884.53 g/mole
Grade : > 98% (NMR)

K0632 | 1160823-80-2




Formula : $C_{32}H_{54}S_2Sn_2$
M.W. : 740.32 g/mole
Grade : > 98% (NMR)

K0633 | 1234306-33-2




Formula : $C_{40}H_{70}S_2Sn_2$
M.W. : 852.53 g/mole
Grade : > 98% (NMR)

K0634 | 215591-73-4




Formula : $C_{24}H_{30}Br_2S_3$
M.W. : 574.50 g/mole
Grade : > 97% (HPLC)

K0635 | 1369657-88-4




Formula : $C_{50}H_{70}Br_2N_2O_2S_4$
M.W. : 1019.17 g/mole
Grade : > 98% (NMR)

K0636 | 1270977-96-2




Formula : $C_{58}H_{86}Br_2N_2O_2S_4$
M.W. : 1131.38 g/mole
Grade : > 98% (NMR)

K0637 |




Formula : $C_{26}H_{78}Br_4N_2O_2S_2$
M.W. : 784.26 g/mole
Grade : > 98% (NMR)

K0640 | 1143585-35-6




Formula : $C_{54}H_{74}Br_2N_2O_2S_6$
M.W. : 1071.25 g/mole
Grade : > 98% (NMR)

K0641 |




Formula : $C_{62}H_{90}Br_2N_2O_4S_6$
M.W. : 1183.46 g/mole
Grade : > 98% (NMR)

K0644 | 1100761-34-9




Formula : $C_{44}H_{48}Br_2N_2O_2S_2$
M.W. : 860.8 g/mole
Grade : > 98% (HPLC)

K0646 | 1383628-43-0




Formula : $C_{72}H_{88}Br_2S_2$
M.W. : 1177.41 g/mole
Grade : > 98% (HPLC)

K0648 | 1364488-29-8




Formula : $C_{44}H_{48}Br_2N_2O_2S_2$
M.W. : 860.8 g/mole
Grade : > 98% (HPLC)

K0653 | 469912-82-1



Formula : $C_{12}H_{20}S_2Sn_2$
M.W. : 465.84 g/mole
Grade : > 98% (NMR)

K0664 | 1025451-57-3




Formula : $C_{20}H_{24}N_2S_2Sn_2$
M.W. : 626.03 g/mole
Grade : > 98% (NMR)

K0665 | 272-43-5




Formula : $C_6H_6N_2S$
M.W. : 136.17 g/mole
Grade : > 98% (HPLC)

K0666 | 1260224-09-6




Formula : $C_{26}H_{36}Br_2N_4S_2$
M.W. : 628.53 g/mole
Grade : > 98% (HPLC)

K0667 |




Formula : $C_{26}H_{36}Br_2N_4S_2$
M.W. : 628.53 g/mole
Grade : > 98% (HPLC)

K0668 | 1279083-60-1




Formula : $C_{10}H_4Br_2N_4S_2$
M.W. : 404.1 g/mole
Grade : > 98% (HPLC)

K0669 |




Formula : $C_{34}H_{52}Br_2N_4S_2$
M.W. : 740.74 g/mole
Grade : > 98% (HPLC)

K0671 | 1044795-06-3




Formula : $C_{34}H_{52}Br_2O_2S_2$
M.W. : 716.71 g/mole
Grade : > 98% (HPLC)

K0674 | 25121-87-3




Formula : $C_6H_2Br_2S_2$
M.W. : 298.02 g/mole
Grade : > 98% (HPLC)

K0675 | 124638-53-5




Formula : $C_6Br_4S_2$
M.W. : 455.81 g/mole
Grade : > 98% (HPLC)

K0679 | 1044795-04-1




Formula : $C_{34}H_{54}O_2S_2$
M.W. : 558.92 g/mole
Grade : > 98% (HPLC)

K0682 |




Formula : $C_{72}H_{90}S_2$
M.W. : 1019.62 g/mole
Grade : > 98% (HPLC)

K0683 | 141029-75-6




Formula : $C_{16}H_{21}NS_2$
M.W. : 291.47 g/mole
Grade : > 98% (HPLC)

K0686 | 185350-30-5




Formula : $C_{28}H_{38}Br_2S_3$
M.W. : 630.6 g/mole
Grade : > 98% (HPLC)

K0687 | 135926-94-2




Formula : $C_{20}H_{30}S_2$
M.W. : 334.58 g/mole
Grade : > 98% (HPLC)

K0688 | 120762-66-5




Formula : $C_{24}H_{38}S_2$
M.W. : 390.69 g/mole
Grade : > 98% (HPLC)

K0689 | 345633-76-3




Formula : $C_{32}H_{54}S_2$
M.W. : 502.9 g/mole
Grade : > 98% (HPLC)

K0690 | 1327275-63-7




Formula : $C_{36}H_{62}S_2$
M.W. : 550.94 g/mole
Grade : > 98% (HPLC)

K0691 | 138058-53-4




Formula : $C_{24}H_{38}S_2$
M.W. : 390.69 g/mole
Grade : > 98% (HPLC)

K0692 | 125607-30-9




Formula : $C_{20}H_{30}S_2$
M.W. : 334.58 g/mole
Grade : > 98% (HPLC)

K0693 | 95748-95-1




Formula : $C_{24}H_{38}S_2$
M.W. : 390.69 g/mole
Grade : > 98% (HPLC)

K0694 | 211737-46-1




Formula : $C_{20}H_{30}S_2$
M.W. : 334.58 g/mole
Grade : > 98% (HPLC)

K0695 | 165190-76-1




Formula : $C_{14}H_8N_2S_3$
M.W. : 300.42 g/mole
Grade : > 98% (HPLC)

K0696 |




Formula : $C_{18}H_{26}S_2$
M.W. : 308.54 g/mole
Grade : > 98% (HPLC)

K0697 | 1357811-10-9




Formula : $C_{22}H_{36}S_2$
M.W. : 364.65 g/mole
Grade : > 98% (HPLC)

K0698 | 31486-86-9




Formula : $C_7H_4OS_2$
M.W. : 168.24 g/mole
Grade : > 98% (HPLC)

K0699 | 40985-58-8



Formula : $C_7H_3NS_2$
M.W. : 165.24 g/mole
Grade : > 98% (HPLC)

K0700 | 59918-60-4




Formula : $C_{10}H_6N_4S_2$
M.W. : 246.31 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0701 | 1260224-08-5




Formula : $C_{26}H_{38}N_4S_2$
M.W. : 470.74 g/mole
Grade : > 98% (HPLC)

K0702 |




Formula : $C_{26}H_{38}N_4S_2$
M.W. : 470.74 g/mole
Grade : > 98% (HPLC)

K0703 |




Formula : $C_{34}H_{54}N_4S_2$
M.W. : 582.95 g/mole
Grade : > 98% (HPLC)

K0704 | 1279083-55-4




Formula : $C_{22}H_{30}N_4S_2$
M.W. : 414.63 g/mole
Grade : > 98% (HPLC)

K0705 |




Formula : $C_{26}H_{38}N_4S_2$
M.W. : 470.74 g/mole
Grade : > 98% (HPLC)

K0706 |




Formula : $C_{26}H_{38}N_4S_2$
M.W. : 470.74 g/mole
Grade : > 98% (HPLC)

K0707 |




Formula : $C_{34}H_{54}N_4S_2$
M.W. : 582.95 g/mole
Grade : > 98% (HPLC)

K0708 | 1057401-11-2




Formula : $C_{38}H_{44}N_2O_2S_4$
M.W. : 689.03 g/mole
Grade : > 98% (HPLC)

K0709 | 1269004-56-9




Formula : $C_{38}H_{44}N_2O_2S_4$
M.W. : 689.03 g/mole
Grade : > 98% (NMR)

K0710 |




Formula : $C_{46}H_{60}N_2O_2S_4$
M.W. : 801.24 g/mole
Grade : > 98% (NMR)

K0711 | 1143585-34-5




Formula : $C_{54}H_{76}N_2O_2S_4$
M.W. : 913.45 g/mole
Grade : > 98% (NMR)

K0712 | 1474061-53-4




Formula : $C_{62}H_{92}N_2O_2S_4$
M.W. : 1025.67 g/mole
Grade : > 98% (NMR)

K0713 | 1632448-66-8




Formula : $C_{50}H_{72}N_2O_2S_4$
M.W. : 861.38 g/mole
Grade : > 98% (NMR)

K0714 | 1270977-94-0




Formula : $C_{58}H_{88}N_2O_2S_4$
M.W. : 973.59 g/mole
Grade : > 98% (NMR)

K0715 | 1231160-82-9




Formula : $C_{14}H_{19}NO_2S$
M.W. : 265.37 g/mole
Grade : > 98% (HPLC)

K0716 | 773881-43-9




Formula : $C_{14}H_{19}NO_2S$
M.W. : 265.37 g/mole
Grade : > 98% (HPLC)

K0717 | 773881-44-0




Formula : $C_{18}H_{27}NO_2S$
M.W. : 321.48 g/mole
Grade : > 98% (HPLC)

K0718 | 1286745-49-0




Formula : $C_{22}H_{33}NO_2S_3$
M.W. : 429.62 g/mole
Grade : > 98% (HPLC)

K0719 | 188917-41-1



Formula : $C_{24}H_{32}S_3$
M.W. : 416.71 g/mole
Grade : > 98% (HPLC)

K0720 | 188917-43-3




Formula : $C_{28}H_{40}S_3$
M.W. : 472.81 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0721 | 7342-41-8




Formula : C₁₃H₈OS₃
M.W. : 276.4 g/mole
Grade : > 98% (HPLC)

K0722 | 13130-50-2




Formula : C₁₄H₈O₂S₃
M.W. : 304.41 g/mole
Grade : > 98% (HPLC)

K0723 | 100943-46-2




Formula : C₁₁H₁₆OS
M.W. : 196.31 g/mole
Grade : > 98% (HPLC)

K0724 | 73792-02-6




Formula : C₁₃H₂₀OS
M.W. : 224.36 g/mole
Grade : > 98% (HPLC)

K0725 | 93164-73-9




Formula : C₁₆H₂₂S₂
M.W. : 278.48 g/mole
Grade : > 98% (HPLC)

K0726 | 172514-64-6




Formula : C₁₆H₂₁BrS₂
M.W. : 357.37 g/mole
Grade : > 98% (HPLC)

K0731 | 3779-27-9




Formula : C₉H₆OS₂
M.W. : 194.27 g/mole
Grade : > 98% (HPLC)

K0732 | 32364-72-0



Formula : C₁₀H₆O₂S₂
M.W. : 222.28 g/mole
Grade : > 98% (HPLC)

K0733 | 945265-56-5




Formula : C₁₇H₂₂OS₂
M.W. : 306.49 g/mole
Grade : > 98% (HPLC)

K0735 | 1003-09-4



Formula : C₄H₃BrS
M.W. : 163.04 g/mole
Grade : > 98% (HPLC)

K0736 | 400713-59-9




Formula : C₃₂H₄₈S₃
M.W. : 528.92 g/mole
Grade : > 97% (HPLC)

K0737 | 3141-26-2




Formula : C₄H₂Br₂S
M.W. : 241.93 g/mole
Grade : > 98% (HPLC)

K0738 | 3141-27-3



Formula : C₄H₂Br₂S
M.W. : 241.93 g/mole
Grade : > 98% (HPLC)

K0739 | 3598-03-0




Formula : C₄Br₄S
M.W. : 399.72 g/mole
Grade : > 98% (HPLC)

K0741 | 98-03-3




Formula : C₅H₄OS
M.W. : 112.15 g/mole
Grade : > 98% (HPLC)

K0742 | 932-95-6




Formula : C₆H₄O₂S
M.W. : 140.16 g/mole
Grade : > 98% (HPLC)

K0743 | 16278-99-2




Formula : C₉H₅NS₂
M.W. : 191.27 g/mole
Grade : > 98% (HPLC)

K0744 | 110230-97-2




Formula : C₁₃H₇NS₃
M.W. : 273.4 g/mole
Grade : > 98% (HPLC)

K0745 | 52431-30-8



Formula : C₄Br₂N₂O₄S
M.W. : 331.93 g/mole
Grade : > 98% (HPLC)

K0816 | 1224430-28-7




Formula : C₆₂H₁₀₂Br₂N₂O₂S₂
M.W. : 1131.42 g/mole
Grade : > 98% (NMR)

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0820 | 1192352-09-2




Formula : C₃₀H₄₀N₂O₂S₃
M.W. : 556.85 g/mole
Grade : > 98% (HPLC)

K0821 | 207805-24-1




Formula : C₆H₂Br₂N₂S
M.W. : 293.97 g/mole
Grade : > 98% (HPLC)

K0823 | 1234306-29-6




Formula : C₂₆H₃₈S₂
M.W. : 414.71 g/mole
Grade : > 98% (HPLC)

K0825 | 1359115-82-4




Formula : C₃₀H₃₇Br₂NO₂S₃
M.W. : 699.62 g/mole
Grade : > 98% (HPLC)

K0827 |




Formula : C₃₁H₄₀N₂O₂S₃
M.W. : 584.86 g/mole
Grade : > 98% (HPLC)

K0828 | 291535-21-2



Formula : C₁₁H₁₃BrOS
M.W. : 275.21 g/mole
Grade : > 98% (HPLC)

K0836 | 13640-78-3




Formula : C₁₀H₈S₂
M.W. : 192.3 g/mole
Grade : > 98% (HPLC)

K0854 | 2255-80-3




Formula : C₇H₅BrN₂S
M.W. : 229.10 g/mole
Grade : > 98% (HPLC)

K0870 | 1342311-48-1




Formula : C₂₉H₃₉BrOS₃
M.W. : 579.72 g/mole
Grade : > 98% (HPLC)

K0902 | 22439-61-8




Formula : C₁₂H₇BrS
M.W. : 263.15 g/mole
Grade : > 96% (HPLC)

K0905 | 34722-01-5




Formula : C₈H₁₂S
M.W. : 140.25 g/mole
Grade : > 98% (HPLC)

K0910 | 1283598-36-6




Formula : C₃₀H₃₆Br₂F₂N₂S₃
M.W. : 718.62 g/mole
Grade : > 98% with isomers (HPLC)

K0926 | 1494614-27-5




Formula : C₁₄H₂₀S₂
M.W. : 252.44 g/mole
Grade : > 98% (HPLC)

K0927 | 1494614-30-0




Formula : C₃₈H₄₂S₆
M.W. : 691.13 g/mole
Grade : > 96% (HPLC)

K0958 | 1190764-15-8



Formula : C₂₅H₁₇Br₂NOS
M.W. : 539.28 g/mole
Grade : > 98% (HPLC)

K0960 | 636588-79-9




Formula : C₉H₂Br₂OS₂
M.W. : 350.05 g/mole
Grade : > 98% (HPLC)

K0974 | 500199-09-7




Formula : C₁₈H₃₁BrS
M.W. : 359.41 g/mole
Grade : > 96% (HPLC)

K0976 |




Formula : C₁₃H₁₈BrNS
M.W. : 300.26 g/mole
Grade : > 95% (HPLC)

K0977 | 1196714-93-8



Formula : C₁₃H₁₉BrOS
M.W. : 303.26 g/mole
Grade : > 95% (HPLC)

K0983 | 1613389-30-2




Formula : C₄₀H₅₈S₆Sn₂
M.W. : 968.7 g/mole
Grade : > 98% (NMR)

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K0984 | 1415929-78-0




Formula : $C_{34}H_{38}Br_2O_2S_4$
M.W. : 766.73 g/mole
Grade : > 98% (HPLC)

K1122 | 97511-05-2




Formula : $C_{12}H_7BrS$
M.W. : 263.15 g/mole
Grade : > 99%

K1123 | 132034-89-0




Formula : $C_{12}H_7IS$
M.W. : 310.15 g/mole
Grade : > 98%

K1124 | 205-43-6




Formula : $C_{16}H_{10}S$
M.W. : 234.32 g/mole
Grade : > 98%

K1125 | 669773-34-6




Formula : $C_{12}H_6Br_2S$
M.W. : 342.05 g/mole
Grade : > 99%

K1126 | 13781-37-8



Formula : $C_{10}H_7IS$
M.W. : 286.13 g/mole
Grade : > 99%

K1127 | 118621-30-0




Formula : $C_{16}H_{11}BrS$
M.W. : 315.23 g/mole
Grade : > 98%

K1128 | 126213-50-1




Formula : $C_6H_6O_2S$
M.W. : 142.18 g/mole
Grade : > 99%

K1199 | 196491-93-7




Formula : $C_{10}H_2Br_2O_2S_2$
M.W. : 378.06 g/mole
Grade : > 98%

K1200 | 1294515-75-5




Formula : $C_{26}H_{36}Br_2O_2S_2$
M.W. : 604.5 g/mole
Grade : > 98%

K1201 | 1321590-78-6




Formula : $C_{34}H_{54}O_2S_2$
M.W. : 558.92 g/mole
Grade : > 98%

K1202 | 1336893-15-2




Formula : $C_{34}H_{52}Br_2O_2S_2$
M.W. : 716.71 g/mole
Grade : > 98%

K1203 | 1320201-19-1




Formula : $C_{50}H_{86}O_2S_2$
M.W. : 783.35 g/mole
Grade : > 98%

K1204 | 1684289-37-9




Formula : $C_{50}H_{84}Br_2O_2S_2$
M.W. : 941.14 g/mole
Grade : > 98%

K1205 | 1443120-32-8




Formula : $C_{42}H_{58}S_4$
M.W. : 691.17 g/mole
Grade : > 98%

K1206 | 1421924-02-8




Formula : $C_{42}H_{56}S_4$
M.W. : 691.17 g/mole
Grade : > 98%

K1207 | 777079-55-7




Formula : $C_{14}H_6Br_2N_2O_2S_2$
M.W. : 458.15 g/mole
Grade : > 98%

K1208 | 1046864-84-9




Formula : $C_{24}H_{22}Br_2N_2O_6S_2$
M.W. : 658.38 g/mole
Grade : > 98%

K1210 | 1392422-47-7



Formula : $C_{36}H_{56}N_2O_2S_2Sn_2$
M.W. : 850.39 g/mole
Grade : > 98%

K1211 | 1312588-15-0




Formula : $C_{62}H_{104}N_2O_2S_2$
M.W. : 973.63 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K1212 | 1296131-04-8




Formula : $C_{28}H_{36}N_2O_8S_2$
M.W. : 592.72 g/mole
Grade : > 98%

K1213 | 1254353-37-1




Formula : $C_{22}H_{36}N_2O_2S$
M.W. : 392.6 g/mole
Grade : > 98%

K1214 | 1293389-28-2




Formula : $C_6H_2F_2N_2S$
M.W. : 172.16 g/mole
Grade : > 98%

K1215 | 1402460-83-6




Formula : $C_{20}H_{18}BrFN_2S_3$
M.W. : 481.47 g/mole
Grade : > 98%

K1216 | 1171974-28-9




Formula : $C_{30}H_{40}N_2S_3$
M.W. : 524.85 g/mole
Grade : > 98%

K1217 | 1304773-89-4




Formula : $C_{14}H_4Br_2F_2N_2S_3$
M.W. : 494.19 g/mole
Grade : > 98%

K1218 | 1293389-32-8




Formula : $C_{30}H_{36}Br_2F_2N_2S_3$
M.W. : 718.62 g/mole
Grade : > 98%

K1219 | 1334686-71-3




Formula : $C_{38}H_{54}Br_2N_2O_2S_3$
M.W. : 826.85 g/mole
Grade : > 98%

K1228 | 241-13-4




Formula : $C_{16}H_{18}S_3$
M.W. : 296.43 g/mole
Grade : > 98%

K1220 | 761416-46-0




Formula : $C_{26}H_{32}N_2S_3$
M.W. : 468.74 g/mole
Grade : > 98%

K1221 | 444579-39-9




Formula : $C_{26}H_{30}Br_2N_2S_3$
M.W. : 626.53 g/mole
Grade : > 98%

K1222 | 457931-23-6




Formula : $C_{30}H_{38}Br_2N_2S_3$
M.W. : 682.64 g/mole
Grade : > 98%

K1223 | 1179993-72-6




Formula : $C_{38}H_{54}Br_2N_2S_3$
M.W. : 794.85 g/mole
Grade : > 98%

K1224 | 238756-91-7




Formula : $C_8Br_2N_2S_2$
M.W. : 299.99 g/mole
Grade : > 98%

K1225 | 190723-14-9




Formula : $C_{10}H_8Br_2NO_2S$
M.W. : 367.06 g/mole
Grade : > 98%

K1226 | 910788-24-8



Formula : $C_{16}H_8S_3$
M.W. : 360.56 g/mole
Grade : > 98%

K1229 | 124796-79-8




Formula : $C_{12}H_4S_5$
M.W. : 308.49 g/mole
Grade : > 98%

K1230 | 392662-65-6




Formula : $C_6H_2Br_2S_2$
M.W. : 298.02 g/mole
Grade : > 98%

K1231 | 21210-90-2



Formula : $C_{14}H_8S_4$
M.W. : 304.47 g/mole
Grade : > 95%

K1232 | 17347-32-9




Formula : C_8H_5BrS
M.W. : 213.09 g/mole
Grade : > 98%

Synthetic Intermediates and Reagents


Thiophenes Derivatives

K1233 | 1224430-39-0




Formula : C₁₁H₁₅NS
M.W. : 193.31 g/mole
Grade : > 98%

K1234 | 222554-30-5




Formula : C₁₁H₁₆OS
M.W. : 196.31 g/mole
Grade : > 98%

K1235 | 210705-84-3




Formula : C₁₀H₁₅BrS
M.W. : 247.2 g/mole
Grade : > 98%

K1236 | 565186-12-1




Formula : C₁₂H₁₉I₂S
M.W. : 322.25 g/mole
Grade : > 98%

K1237 | 133750-15-9



Formula : C₁₂H₁₈I₂S
M.W. : 448.15 g/mole
Grade : > 98%

K1238 | 81020-78-2




Formula : C₆H₃BrN₂S
M.W. : 239.09 g/mole
Grade : > 98%

K1239 | 632-15-5




Formula : C₆H₈S
M.W. : 112.19 g/mole
Grade : > 98%

K1240 | 1015423-45-6




Formula : C₆Br₂O₂S
M.W. : 311.94 g/mole
Grade : > 98%

K1241 | 178931-63-0




Formula : C₁₈H₂₄S₃Sn₂
M.W. : 574 g/mole
Grade : > 98%

K1242 | 1040858-84-1




Formula : C₃₀H₃₈Br₂S₂
M.W. : 622.56 g/mole
Grade : > 98%

K1288 | 1295502-26-9




Formula : C₂₉H₄₄Br₂OS₂
M.W. : 632.6 g/mole
Grade : > 98% (NMR)

K1291 | 1809080-29-2




Formula : C₃₄H₄₀Br₂S₄
M.W. : 736.75 g/mole
Grade : > 98%

K1292 | 1987866-20-5




Formula : C₅₀H₇₂Br₂S₄
M.W. : 961.17 g/mole
Grade : > 98%

K1297 | 1619967-09-7




Formula : C₁₄H₂₀F₂S₂Sn₂
M.W. : 527.86 g/mole
Grade : > 98%

K1315 | 1047684-56-9



Formula : C₃₀H₃₆N₂S₂
M.W. : 488.75 g/mole
Grade : ≥ 99%

K1316 | 1146182-96-8




Formula : C₃₀H₃₆N₂S₄
M.W. : 552.88 g/mole
Grade : ≥ 99%

Synthetic Intermediates and Reagents


Benzene Derivatives

K0007 | 69571-02-4




Formula : $C_{14}H_{12}I_2$
M.W. : 434.05 g/mole
Grade : > 98% (HPLC)

K0008 | 17919-34-5




Formula : $C_{22}H_{32}O_6P_2$
M.W. : 454.43 g/mole
Grade : > 98% (HPLC)

K0072 | 96761-85-2




Formula : $C_{24}H_{15}Br_3$
M.W. : 543.09 g/mole
Grade : > 98% (HPLC)

K0078 | 1591-30-6




Formula : $C_{14}H_8N_2$
M.W. : 204.23 g/mole
Grade : > 98% (HPLC)

K0079 | 787-70-2




Formula : $C_{14}H_{10}O_4$
M.W. : 242.23 g/mole
Grade : > 98% (HPLC)

K0090 | 146370-51-6




Formula : $C_{15}H_{24}O_2$
M.W. : 236.35 g/mole
Grade : > 98% (HPLC)

K0091 | 209625-37-6



Formula : $C_{17}H_{26}Br_2O_2$
M.W. : 422.20 g/mole
Grade : > 97% (HPLC)

K0109 | 156682-52-9




Formula : $C_6H_2Br_2F_2$
M.W. : 271.88 g/mole
Grade : > 98% (HPLC)

K0118 | 3268-21-1




Formula : $C_{10}H_{12}I_3$
M.W. : 386.01 g/mole
Grade : > 98% (HPLC)

K0129 | 16400-50-3




Formula : $C_{12}H_6Br_4$
M.W. : 469.79 g/mole
Grade : > 96% (HPLC)

K0131 | 439797-69-0




Formula : $C_{12}H_7Br_2NO_2$
M.W. : 357.00 g/mole
Grade : > 98% (HPLC)

K0142 | 13029-09-9




Formula : $C_{12}H_8Br_2$
M.W. : 312.00 g/mole
Grade : > 98% (HPLC)

K0146 | 129013-83-8




Formula : $C_{11}H_8BrN$
M.W. : 234.09 g/mole
Grade : > 98% (HPLC)

K0211 | 91371-12-9




Formula : $C_{12}H_6Br_3N_2O_4$
M.W. : 402.00 g/mole
Grade : > 98% (HPLC)

K0337 | 626-39-1




Formula : $C_6H_3Br_3$
M.W. : 314.80 g/mole
Grade : > 98% (HPLC)

K0338 | 106-37-6




Formula : $C_6H_4Br_2$
M.W. : 235.90 g/mole
Grade : > 98% (HPLC)

K0339 | 589-87-7




Formula : C_6H_4BrI
M.W. : 282.90 g/mole
Grade : > 98% (HPLC)

K0351 | 3988-03-2




Formula : $C_{13}H_8Br_2O$
M.W. : 340.01 g/mole
Grade : > 98% (HPLC)

K0352 | 92-86-4



Formula : $C_{12}H_8Br_2$
M.W. : 312.00 g/mole
Grade : > 98% (HPLC)

K0354 | 611-97-2




Formula : $C_{15}H_{14}O$
M.W. : 210.27 g/mole
Grade : > 98% (HPLC)

Synthetic Intermediates and Reagents


Benzene Derivatives

K0756 | 287919-00-0




Formula : $C_{19}H_{30}Br_2O_2$
M.W. : 450.25 g/mole
Grade : > 98% (HPLC)

K0757 | 121623-97-0




Formula : $C_9H_2F_4N_2$
M.W. : 214.12 g/mole
Grade : > 98% (HPLC)

K0758 | 96392-77-7




Formula : $C_{16}H_{14}Br_2$
M.W. : 366.09 g/mole
Grade : > 96% (HPLC)

K0839 | 117635-21-9



Formula : $C_{18}H_{28}Br_2$
M.W. : 404.22 g/mole
Grade : > 98% (HPLC)

K0887 | 13209-33-1




Formula : $C_8H_4Cl_2O_2$
M.W. : 203.02 g/mole
Grade : > 98% (HPLC)

K0900 | 577-19-5




Formula : $C_6H_4BrNO_2$
M.W. : 202.01 g/mole
Grade : > 98% (HPLC)

K0928 | 52827-70-0




Formula : $C_8H_{10}ClN$
M.W. : 155.62 g/mole
Grade : > 98% (HPLC)

K0929 | 52331-02-9




Formula : $C_6H_4Cl_2$
M.W. : 175.06 g/mole
Grade : > 98% (HPLC)

K0944 | 160892-07-9




Formula : $C_8H_3BrN_2$
M.W. : 207.03 g/mole
Grade : > 98% (HPLC)

K0945 | 28342-75-8




Formula : $C_6H_2Br_2F_2$
M.W. : 271.88 g/mole
Grade : > 98% (HPLC)

K0946 | 2368-49-2




Formula : $C_6Br_3F_3$
M.W. : 368.77 g/mole
Grade : > 98% (HPLC)

K0952 | 245731-57-1




Formula : $C_{21}H_{32}O_6$
M.W. : 380.48 g/mole
Grade : > 98% (HPLC)

K0953 | 245731-58-2



Formula : $C_{17}H_{28}O_4$
M.W. : 296.4 g/mole
Grade : > 98% (HPLC)

K0954 | 203251-22-3




Formula : $C_{17}H_{24}O_4$
M.W. : 292.37 g/mole
Grade : > 98% (HPLC)

K0971 | 632-51-9




Formula : $C_{26}H_{20}$
M.W. : 332.44 g/mole
Grade : > 98%

K0973 | 23703-22-2




Formula : $C_{12}H_{17}Br$
M.W. : 241.17 g/mole
Grade : > 98%

K0978 | 224558-17-2




Formula : $C_{15}H_{22}Br_2O_2$
M.W. : 241.17 g/mole
Grade : > 98%

K0996 | 10540-37-1




Formula : $C_{12}H_8FI$
M.W. : 298.09 g/mole
Grade : > 98% (HPLC)

K0999 | 942132-66-3



Formula : $C_{14}H_{12}Br_2$
M.W. : 340.05 g/mole
Grade : > 98% (HPLC)

K1167 | 92-88-6




Formula : $C_{12}H_{10}O_2$
M.W. : 186.21 g/mole
Grade : > 99%

Synthetic Intermediates and Reagents


Benzene Derivatives

K1168 | 20442-79-9




Formula : $C_{12}H_9I$
M.W. : 280.10 g/mole
Grade : > 98%

K1169 | 1591-31-7




Formula : $C_{12}H_9I$
M.W. : 280.10 g/mole
Grade : > 98%

K1170 | 1762-84-1




Formula : $C_{18}H_{13}Br$
M.W. : 309.20 g/mole
Grade : > 99%

K1171 | 95962-62-2




Formula : $C_{18}H_{12}Br_2$
M.W. : 388.10 g/mole
Grade : > 98%

K1172 | 844856-42-4




Formula : $C_{12}H_8BrCl$
M.W. : 267.55 g/mole
Grade : > 98%

K1173 | 101-55-3




Formula : $C_{12}H_9BrO$
M.W. : 249.10 g/mole
Grade : > 98%

K1174 | 59080-32-9




Formula : $C_{12}H_8Br_2$
M.W. : 312.00 g/mole
Grade : > 98%

K1175 | 2052-07-5




Formula : $C_{12}H_9Br$
M.W. : 233.10 g/mole
Grade : > 99%

K1176 | 2113-57-7




Formula : $C_{12}H_9Br$
M.W. : 233.10 g/mole
Grade : > 99%

K1177 | 187275-73-6




Formula : $C_{12}H_8BrI$
M.W. : 359.00 g/mole
Grade : > 98%

K1178 | 92-69-3




Formula : $C_{12}H_{10}O$
M.W. : 170.21 g/mole
Grade : > 98%

K1179 | 644-08-6




Formula : $C_{13}H_{12}$
M.W. : 168.23 g/mole
Grade : > 98%

K1180 | 64-93-6




Formula : $C_{13}H_{12}$
M.W. : 168.23 g/mole
Grade : > 99%

K1181 | 14704-31-5




Formula : $C_{13}H_{11}Br$
M.W. : 247.13 g/mole
Grade : > 99%

K1182 | 2567-29-5




Formula : $C_{13}H_{11}Br$
M.W. : 247.13 g/mole
Grade : > 99%

K1183 | 16400-51-4




Formula : $C_{12}H_8Br_2$
M.W. : 312.00 g/mole
Grade : > 99%

K1184 | 3001-15-8




Formula : $C_{12}H_8I_2$
M.W. : 406.00 g/mole
Grade : > 99%

K1185 | 105946-82-5




Formula : $C_{12}H_8BrI$
M.W. : 359.00 g/mole
Grade : > 99%

K1186 | 50670-49-0



Formula : $C_{13}H_{11}Br$
M.W. : 247.13 g/mole
Grade : > 99%

K1187 | 55290-86-3




Formula : $C_{13}H_{11}I$
M.W. : 294.13 g/mole
Grade : > 99%

Our products are used for testing and research purpose; they are not guaranteed in patent contention by customer use.

Synthetic Intermediates and Reagents


Benzene Derivatives

K1188 | 83-53-4




Formula : $C_{10}H_6Br_2$
 M.W. : 285.96 g/mole
 Grade : > 99%

K1189 | 59951-65-4




Formula : $C_{16}H_{11}Br$
 M.W. : 283.16 g/mole
 Grade : > 98%

K1190 | 667940-23-0




Formula : $C_{16}H_{11}Br$
 M.W. : 283.16 g/mole
 Grade : > 99%

K1191 | 204530-94-9




Formula : $C_{16}H_{11}Br$
 M.W. : 283.16 g/mole
 Grade : > 96%

K1192 | 2674-34-2




Formula : $C_8H_8Br_2O_2$
 M.W. : 295.96 g/mole
 Grade : > 99%

K1193 | 127257-79-8




Formula : $C_{22}H_{14}Br_2$
 M.W. : 438.15 g/mole
 Grade : > 99%

K1194 | 22082-99-1




Formula : $C_{16}H_{11}Br$
 M.W. : 283.16 g/mole
 Grade : > 99%

K1195 | 35450-34-1



Formula : $C_{12}H_8BrNO_2$
 M.W. : 278.10 g/mole
 Grade : > 99%

K1196 | 86-00-0




Formula : $C_{12}H_9NO_2$
 M.W. : 199.21 g/mole
 Grade : > 99%

K1197 | 609-73-4



Formula : $C_6H_4INO_2$
 M.W. : 249.01 g/mole
 Grade : > 99%

K1317 | 851228-26-7



Formula : $C_{18}H_{29}ClO_2$
 M.W. : 312.87 g/mole
 Grade : \geq 99%