

MEL BY

Features

- LC/FC/SC/ST/Others Adapters for Option
- Easy Installation & Maintenance
- Rugged Case with High Security
- Single mode & Multi mode
 Applications
- Extra Low Insertion Loss & Excellent Repeatability

Applications

- Local Area Network
- CATV Network
- FTTx System
- Wide Area Network
- Test Instruments

Product Picture



8C ODF for Wall Mount
PN: ADFW-08x0-xxxxx-00
Size: W150 x D150 x H50 (mm)




12C/24C ODF for Wall Mount
PN: ADFW-12x0-xxxxx-00
ADFW-24x0-xxxxx-00
Size: W250 x D250 x H60 (mm)





48C ODF for Wall Mount
PN: ADFW-48x0-xxxx-00
Size: W300 x D300 x H100 (mm)



96C ODF for Wall Mount
PN: ADFW-96x0-xxxxx-00
Size: W430 x D350 x H150 (mm)

MEL BY F

Ordering Information

Part Number	Description
ADFW-08x0-xxxx-00	Fiber Optic Distribution Frame (8C for Wall Mount) Include Splice protective sleeve x8 pcs Customer specified: Fiber Adapter & Fiber Pigtail
ADFW-12x0-xxxxx-00	Fiber Optic Distribution Frame (12C for Wall Mount) Include Splice protective sleeve x12 pcs Customer specified: Fiber Adapter & Fiber Pigtail
ADFW-24x0-xxxx-00	Fiber Optic Distribution Frame (24C for Wall Mount) Include Splice protective sleeve x24 pcs Customer specified: Fiber Adapter & Fiber Pigtail
ADFW-48x0-xxxx-00	Fiber Optic Distribution Frame (48C for Wall Mount) Include Splice protective sleeve x48 pcs Customer specified: Fiber Adapter & Fiber Pigtail
ADFW-96x0-xxxx-00	Fiber Optic Distribution Frame (96C for Wall Mount) Include Splice protective sleeve x96 pcs Customer specified: Fiber Adapter & Fiber Pigtail

<u>Category</u>	<u>Cores</u>	<u>Adapter</u>	_	with Fiber <u>Pigtail</u>	<u>Pigtail</u> <u>Cable Type</u>	<u>Pigtail</u> <u>Oty</u>	
ADFW -	-		o —			000	- 00
	08: 8 Cores	1: SC/PC		Y: yes	9: 900µm	001: 1pcs	
	12: 12 Cores	2: SC/APC		N: no	2: 2mm	:	
	24: 24 Cores	3: LC/PC			3: 3mm	096: 96pcs	
	48: 48 Cores	4: LC/APC			0: not apply		
	96: 96 Cores	5: ST/PC					
		6: ST/APC					
		7: FC/PC					
		8: FC/APC					
		0: no					
		connector					

