





流量對照表 1

適用幫浦頭	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm
		mm			mL/min				
YZ1515 (白)材質-PSF (黑)材質-PPS	13#	0.8	4.0	1.6	0.007	0.07	7	21	42
	14#	1.6	4.8	1.6	0.027	0.27	27	81	162
	19#	2.4	5.6	1.6	0.051	0.51	51	153	306
	16#	3.2	6.4	1.6	0.082	0.82	82	246	492
	25#	4.8	8.0	1.6	0.17	1.7	170	510	1020
	17#	6.4	9.6	1.6	0.29	2.9	290	870	1740
	18#	8.0	11.2	1.6	0.38	3.8	380	1140	2280
BMD151A (灰)材質-本體鋁合金 壓蓋POM  BMD152A (灰)材質-PPS	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm
		mm			mL/min				
	2×13#	0.8	4.0	1.6	0.013	0.13	13.3	40	80
	4×13#	0.8	4.0	1.6	0.026	0.26	26.6	80	160
	2×14#	1.6	4.8	1.6	0.050	0.5	50	150	300
	2×19#	2.4	5.6	1.6	0.103	1.03	103	310	620
	2×16#	3.2	6.4	1.6	0.16	1.6	163	490	980
2×25#	4.8	8.0	1.6	0.29	2.9	293	880	1760	
YZ1115 (黑)材質-鋁合金	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm
		mm			mL/min				
	25#	4.8	8.0	1.6	0.21	2.1	216	650	1300
	17#	6.4	9.6	1.6	0.38	3.8	383	1150	2300
YZ25 (白)材質-PSF (黑)材質-PPS	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm
		mm			mL/min				
	15#	4.8	9.6	2.4	0.17	1.7	170	510	1020
24#	6.4	11.2	2.4	0.29	2.9	290	870	1740	
KZ25 (透明)材質-PSF (黑)材質-PPS	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm
		mm			mL/min				
	15#	4.8	9.6	2.4	0.3	3	300	900	1800
	24#	6.4	11.2	2.4	0.58	5.8	583	1750	3500
35#	7.9	12.7	2.4	0.83	8.3	830	2500	5000	
36#	9.6	14.4	2.4	1	10	1000	3000	6000	



流量對照表 2

適用幫浦頭	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			mL/min					
YZII25 (黑)材質-鋁合金	15#	4.8	9.6	2.4	0.24	2.4	240	720	1440	
	24#	6.4	11.2	2.4	0.4	4	400	1200	2400	
	35#	7.9	12.7	2.4	0.56	5.6	560	1680	3400	
	36#	9.6	14.4	2.4	0.69	6.9	690	20700	4140	
YZ35 (白)材質-PSF (黑)材質-PPS	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			mL/min					
	73#	9.6	16.2	3.3	1	10	1000	3000	6000	
82#	12.7	19.3	3.3	2.16	21.6	2160	6500	13000		
KZ35 (銀)材質-304SS	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			mL/min					
	73#	9.6	16.2	3.3	1	10	1000	3000	6000	
82#	12.7	19.3	3.3	2.16	21.6	2160	6500	13000		
DG 十滾輪系列 外徑4mm(夾管)	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			μL/min					
		0.13	1.73	0.8	0.16	1.6	160	480	960	
		0.25	1.9	0.8	0.52	5.2	520	1560	3120	
		0.51	2.1	0.8	2	20	2000	6000	12000	
		1.02	2.6	0.8	4.6	46	4600	13800	27600	
		1.65	3.25	0.8	14	140	14000	42000	84000	
		2	3.6	0.8	16	160	16000	48000	96000	
		2.4	4	0.8	22	220	22000	66000	132000	
	2.79	4.39	0.8	28	280	28000	84000	168000		
	3.17	4.77	0.8	35	350	35000	105000	210000		
YG15 (白)材質-鋁合金 表面特殊塗層	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			mL/min					
	14#	1.6	4.8	1.6	0.02	0.2	20	60	120	
	19#	2.4	5.6	1.6	0.044	0.44	44	132	264	
	16#	3.2	6.4	1.6	0.074	0.74	74	222	444	
	25#	4.8	8.0	1.6	0.14	1.4	140	420	840	
	17#	6.4	9.6	1.6	0.212	2.12	212	636	1272	
PVC	8.0	11.2	1.6	0.025	0.254	25.4	76.2	152.4		



流量對照表 3

適用幫浦頭	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			mL/min					
YZ16 (白)材質-外殼PSF 滾輪POM 4滾輪	13#	0.8	4.0	1.6	0.005	0.05	5	15	30	
	14#	1.6	4.8	1.6	0.012	0.12	12	36	72	
	19#	2.4	5.6	1.6	0.03	0.3	30	90	180	
	16#	3.2	6.4	1.6	0.046	0.46	46	138	276	
	25#	4.8	8.0	1.6	0.078	0.78	78	234	468	
KZ163 (白)材質-外殼IXEF 滾輪POM 4滾輪	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			mL/min					
	13#	0.8	4.0	1.6	0.006	0.06	6	18	36	
	14#	1.6	4.8	1.6	0.024	0.24	24	72	144	
	19#	2.4	5.6	1.6	0.06	0.6	60	180	360	
	16#	3.2	6.4	1.6	0.095	0.95	95	285	570	
	25#	4.8	8.0	1.6	0.18	1.88	188	564	1128	
	17#	6.4	9.6	1.6	0.38	3.84	384	1152	2304	
KZ164 (白)材質-外殼IXEF 滾輪POM 4滾輪	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			μL/min					
	13#	0.8	4.0	1.6	0.005	0.05	5	15	30	
	14#	1.6	4.8	1.6	0.023	0.23	23	69	138	
	19#	2.4	5.6	1.6	0.056	0.56	56	168	336	
	16#	3.2	6.4	1.6	0.091	0.91	91	273	546	
	25#	4.8	8.0	1.6	0.17	1.71	171	513	1026	
	17#	6.4	9.6	1.6	0.3	3.01	301	903	1806	
PF246 (黑)材質-鋁合金 6滾輪	管號	內徑	外徑	壁厚	0.1rpm	1rpm	100rpm	300rpm	600rpm	
		mm			mL/min					
		0.8	5.6	2.4	0.016	0.16	16	48	96	
		1.6	6.4	2.4	0.05	0.5	50	150	300	
		2.4	7.2	2.4	0.098	0.98	98	294	588	
		3.1	7.9	2.4	0.174	1.74	174	522	1044	
	15#	4.8	9.6	2.4	0.38	3.8	380	1140	2280	
	24#	6.4	11.2	2.4	0.57	5.7	570	1710	3420	
	35#	7.9	12.7	2.4	0.776	7.76	776	2328	4656	
	36#	9.6	14.4	2.4	1.114	11.14	1114	3342	6684	